

Corpus Sarcoma**Sarcoma (Leiomyosarcoma and Endometrial Stromal Sarcoma) of the Corpus Uteri; Uterus, NOS (excluding Placenta and Adenosarcoma, Carcinoma, and Carcinosarcoma)****C54.0-C54.3, C54.8-C54.9, C55.9****M-8800-8932,8934-8974,8982-9136,9141-9582****C54.0 Isthmus uteri****C54.1 Endometrium****C54.2 Myometrium****C54.3 Fundus uteri****C54.8 Overlapping lesion of corpus uteri****C54.9 Corpus uteri****C55.9 Uterus, NOS**

Note 1: AJCC 7th Edition TNM staging reflects the new staging adopted by the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) and utilizes three new staging schemas for cancer of the Corpus Uteri based on histology. This is a change from the AJCC 6th Edition TNM staging. The three new schemas are: 1. Carcinoma and carcinosarcoma 2. Leiomyosarcoma and endometrial stromal sarcoma (ESS) 3. Adenosarcoma

Note 2: This schema is for leiomyosarcoma and endometrial stromal sarcoma (ESS).

Note 3: When coding pay attention to the FIGO Editions and descriptions about cell and tumor types, disease extension, lymph node status and metastasis.

Note 4: AJCC TNM values correspond to the stages accepted by FIGO. Note that FIGO uses a single stage value which corresponds to different groupings of T, N, and M values.

Corpus Sarcoma**CS Tumor Size****See Standard Table****Corpus Sarcoma****CS Extension**

Note 1: When both FIGO stage and extension detail are available, record the code with extension detail in preference to a statement of FIGO stage.

Note 2: FIGO and AJCC 7 stage do not include Tis for this site and histology. Any cases with a CS Extension code of 000 will derive TX for AJCC 7 staging, though Tis and In Situ will be derived for AJCC 6 staging and Summary Stage.

Note 3: The assignment of T1a and T1b categories for sarcomas of corpus uteri is based on tumor size.

Note 4: FIGO Stage IV, NOS is assigned based on tumor extension and/or metastasis. Code CS Extension based on a physician's statement of FIGO Stage IV, NOS only if it is known that the stage value is assigned because of tumor extension.

Note 5: Positive cytology is reported separately (CS Site Specific Factor 2), and is not included as a staging element for AJCC 7 staging. It is included as a staging element for AJCC 6 and Summary Stage. Since "cancer cells in ascites or in peritoneal washings" was not specifically categorized in the 1977 Summary Staging Guide, it is unclear to which stage pre-2001 cases may have been coded in that staging system.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive, preinvasive	TX	Tis	IS	IS
100	Invasive cancer tumor confined to corpus uteri	^	*	**	**
110	Confined to endometrium (stroma)	^	*	**	**
114	OBSOLETE DATA REVIEWED V0203 ; See codes 100, 110, 116, 120, 130-400, 510-530 Tumor 5 cm or less in greatest dimension	T1a	T2NOS	**	**
116	FIGO Stage IA	^	*	**	**
120	Tumor invades less than one-half of myometrium Invasion of inner half of myometrium	^	*	**	**
124	OBSOLETE DATA REVIEWED V0203 ; See code 100, 110, 120, 126-400, 510-530 Tumor greater than 5 cm	T1b	T2NOS	**	**
126	FIGO Stage IB	^	*	**	**
130	Tumor invades one-half or more of myometrium Invasion of outer half of myometrium (See Note 3)	^	*	**	**
140	Invasion of myometrium, NOS	^	*	**	**
160	Tunica serosa of the visceral peritoneum (serosa covering the corpus)	^	*	**	**
400	Localized, NOS	^	*	**	**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500	OBSOLETE DATA CONVERTED V0203 ; See code 523 Cervix uteri, NOS, but not beyond uterus	ERROR	ERROR	ERROR	ERROR
510	Endocervical glandular involvement only	^	*	RE	RE
520	Cervical stromal invasion	^	*	RE	RE
523	Cervix uteri, NOS, but not beyond uterus	^	*	RE	RE
530	FIGO Stage I [NOS]	^	*	**	**
540	Tumor limited to uterus, NOS	T1NOS	*	RE	RE
550	Adnexal involvement, NOS Extension or metastasis beyond uterus within pelvis: Adnexa Fallopian tube(s) Ligaments: Broad Round Uterosacral Ovary(ies) Parametrium Visceral peritoneum of pelvic organs excluding serosa of corpus uteri	T2a	T3a	RE	RE
600	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 160, 550, 655, 665, and 688 Adnexal involvement, NOS Extension or metastasis within true pelvis: Adnexa Fallopian tube(s)	T2a	T3a	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Ligaments: Broad, round, uterosacral Ovary(ies) Parametrium Pelvic serosa Tunica serosa (parietal lining of the pelvic or abdominal cavity)	T2a	T3a	RE	RE
605	FIGO Stage IIA	T2a	T3a	RE	RE
610	OBSOLETE DATA RETAINED V0200 ; See Note 4 and CS Site Specific Factor 2 Cancer cells in ascites Cancer cells in peritoneal washings FIGO Stage IIIA	ERROR	T3a	RE	RE
620	OBSOLETE DATA CONVERTED V0203 ; See code 645 Ureter Vulva	ERROR	ERROR	ERROR	ERROR
640	Extension or metastasis to vagina	T2b	T3b	D	RE
645	Extension to : Ureter Vulva	T2b	T3b	D	RE
650	OBSOLETE DATA RETAINED AND REVIEWED V0203 See code 655 and 662 Extension or metastasis to pelvic wall(s) Described clinically as "frozen pelvis", NOS	T2b	T3b	RE	RE
655	Extension or metastasis to: Pelvic wall(s) Parietal serosa of pelvic cavity	T2b	T3b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
660	OBSOLETE DATA CONVERTED V0203 ; See code 705 Extension or metastasis to: Bladder wall Bladder, NOS excluding mucosa Rectal wall Rectum, NOS excluding mucosa	ERROR	ERROR	ERROR	ERROR
662	Described clinically as "frozen pelvis", NOS	T2b	T3b	D	RE
663	(655 or 662) + (640 or 645)	T2b	T3b	D	RE
665	Extension or metastasis to: Cul de sac (rectouterine pouch)	T2b	T3b	D	D
670	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 663 and 705 [(650) or (660)] and [(620) or (640)]	T2b	T3b	D	RE
675	FIGO Stage IIB	T2b	T3b	RE	RE
680	OBSOLETE DATA CONVERTED V0203 ; See code 683 FIGO Stage II [NOS]	ERROR	ERROR	ERROR	ERROR
682	Extension beyond uterus, within pelvis, NOS	T2NOS	T3NOS	RE	RE
683	FIGO Stage II [NOS]	T2NOS	T3NOS	RE	RE
685	OBSOLETE DATA REVIEWED V0203 ; See codes 665 and 688 Contiguous extension to abdominal tissues, one of the following sites: Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine	T3a	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
685 cont'd	Other abdominal tissues	T3a	T4	D	D
688	Infiltration of abdominal tissues, one of the following sites: Abdominal serosa (visceral or parietal peritoneum of abdomen) Sigmoid colon Small intestine Other abdominal tissues	T3a	T4	D	D
690	FIGO Stage IIIA	T3a	T4	D	D
692	OBSOLETE DATA REVIEWED V0203 ; See codes 665 and 693 Contiguous extension to abdominal tissues, more than one site: Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine Other abdominal tissues	T3b	T4	D	D
693	Infiltration of abdominal tissues in code 688, more than one site	T3b	T4	D	D
694	FIGO Stage IIIB	T3b	T4	D	D
696	OBSOLETE DATA CONVERTED V0203 ; See code 699 FIGO Stage III [NOS]	ERROR	ERROR	ERROR	ERROR
698	Abdominal tissues involvement, NOS	T3NOS	T4	D	D
699	FIGO Stage III [NOS]	T3NOS	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	OBSOLETE DATA CONVERTED V0200 ; See code 710 Extension to bowel mucosa or bladder mucosa (excluding bullous edema) FIGO Stage IVA FIGO Stage IV, NOS	ERROR	ERROR	ERROR	ERROR
705	Invasion of: Bladder wall Bladder, NOS excluding mucosa Rectal wall Rectum, NOS excluding mucosa	T4	T3b	RE	RE
708	705 + (688, 693, or 698) Invasion of organs in code 705 plus infiltration of any abdominal tissues	T4	T3b	D	D
710	OBSOLETE DATA REVIEWED AND CHANGED V0203 See codes 715, 720, 730 Extension to bowel mucosa or bladder mucosa (excluding bullous edema) Note: On conversion of code 700 to 710, code 710 also included FIGO Stage IVA, FIGO Stage IV, NOS	ERROR	ERROR	ERROR	ERROR
715	Extension to bowel mucosa or bladder (excluding bullous edema)	T4	T4	D	D
720	FIGO Stage IVA	T4	T4	D	D
730	FIGO Stage IV [NOS]	T4	T4	D	D
800	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 665, 688, 693, and 850 Further contiguous extension	T3NOS	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800 cont'd	Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine (See codes 685 and 693 if number of involved sites is reported)	T3NOS	T4	D	D
850	Further contiguous extension	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 100-110, 116-120, 126- 400, and 510-530 ONLY, the T category for AJCC 7 staging is assigned based on the value of CS Tumor Size and CS Extension as shown in the Extension Size AJCC 7 Table for this schema.

* For CS Extension codes 100-110, 116-120, 126-400, and 510-540 ONLY. If it is a CS Version 1 case (CS Version Input Original equals 01XXXX and Year of Diagnosis is before 2010), the T category for AJCC 6 staging is assigned based on the value of CS Extension and pleural cytology status coded in CS Site-Specific Factor 2 as shown in the Extension Cytology AJCC 6 Table CSv1. If it is a CS Version 2 case (CS Version Input Original equals 02XXXX) or Year of Diagnosis is greater than 2009), the T category for AJCC 6 staging is assigned based on the value of CS Extension and pleural cytology status coded in CS Site-Specific Factor 2 as shown in the Extension Cytology AJCC 6 Table CSv2.

** For CS Extension codes 100-400, and 530 ONLY, the SS77 and SS2000 stages are assigned based on the value of CS Extension and peritoneal cytology status coded in CS Site Specific Factor 2 as shown in the extra table Extension Cytology Summary Stage Table.

Corpus Sarcoma

CS Tumor Size/Ext Eval

See Standard Table

Corpus Sarcoma

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX. Regional nodes include bilateral and contralateral involvement of named nodes.

Note 2: When both FIGO stage and regional lymph node detail are available, record the code with regional lymph node detail in preference to a statement of FIGO stage.

Note 3: If either exploratory or definitive surgery is done with no mention of lymph nodes, assume nodes are negative. If the clinician says "adnexa palpated" but does not mention lymph nodes,

assume lymph nodes are not involved.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Paracervical Parametrial Pelvic, NOS Sacral, NOS: Lateral (laterosacral) Middle (promontorial) (Gerota's node) Presacral Uterosacral	N1	N1	RN	RN
200	Regional lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic	N1	N1	RN	RN
500	FIGO Stage IIIC	N1	N1	RN	RN
800	Regional lymph node(s), NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

Corpus Sarcoma
CS Lymph Nodes Eval
See Standard Table

Corpus Sarcoma**Regional Nodes Positive****See Standard Table**

Note: Record this field even if there has been preoperative treatment.

Corpus Sarcoma**Regional Nodes Examined****See Standard Table****Corpus Sarcoma****CS Mets at DX**

Note 1: When both FIGO stage and metastatic detail are available, record the code with metastatic detail in preference to a statement of FIGO stage.

Note 2: FIGO Stage IV, NOS is assigned based on tumor extension and/or metastasis. Code CS Mets at DX based on a physician's statement of FIGO Stage IV, NOS only if it is known that the stage value is assigned because of metastasis.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
11	Distant lymph node(s): Superficial inguinal	M1	M1	RN	D
12	Distant lymph node(s) other than code 11: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Distant lymph node(s), NOS (Excluding metastasis to pelvic or para-aortic lymph nodes)	M1	M1	D	D
40	Distant metastases, except distant lymph node(s) Carcinomatosis (Excluding metastasis to adnexa and continuous extension to abdominal tissues)	M1	M1	D	D
50	40 + (11 and/or 12) Distant metastasis plus distant lymph node(s)	M1	M1	D	D
55	FIGO Stage IVB	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
60	Distant metastasis NOS	M1	M1	D	D
70	FIGO Stage IV [NOS] based on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Corpus Sarcoma**CS Mets Eval**

See Standard Table

Corpus Sarcoma**CS Site-Specific Factor 2****Peritoneal Cytology****Note: See page A-132**

Note: Cytologic examination for malignant cells may be performed on ascites (fluid that has accumulated in the peritoneal cavity in excess amount) or the fluid (saline) that is introduced into the peritoneal cavity, and then removed by suction. The introduction of fluid may be termed peritoneal washing or peritoneal lavage.

Code	Description
000	Negative
010	Positive, malignant cells positive
020	Test done, results suspicious or undetermined if negative or positive
888	OBSOLETE DATA CONVERTED V0200 See code 988 Not applicable for this site
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
997	Test ordered, results not in patient record

Code	Description
998	Test not done (test not ordered and not performed) No pathologic specimen available
999	Unknown or no information Not documented in patient record

CorpusSarcoma**CS Site-Specific Factor 3****Number of Positive Pelvic Nodes**

Note: Record the number of positive pelvic lymph nodes documented in the patient record. Apply the same instructions in General Rules, Part I for coding Regional Nodes Positive to this data item.

Note: See page A-67

Code	Description
000	All pelvic nodes examined negative.
001-089	1 - 89 pelvic nodes positive (Exact number of nodes positive)
090	90 or more pelvic nodes positive
095	Positive aspiration or core biopsy of pelvic lymph node(s)
097	Positive pelvic nodes, number not specified
098	No pelvic nodes examined
888	OBSOLETE DATA CONVERTED V0200 See code 988 Not applicable for this site
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
999	Unknown if pelvic nodes are positive Not documented in patient record