

**Urinary Other****Paraurethral Gland, Overlapping Lesion of Urinary Organs, and Unspecified Urinary Organs  
C68.1, C68.8-C68.9****C68.1 Paraurethral gland****C68.8 Overlapping lesion of urinary organs****C68.9 Urinary system, NOS**

**Note:** AJCC does not define TNM staging for this site.

**Urinary Other****CS Tumor Size**

See Standard Table

**Urinary Other****CS Extension**

**Note:** If CS Extension code is 000 or 050, Behavior ICD-O-3 must be coded as 2. If CS Extension code is 100 or greater, Behavior ICD-O-3 must be coded as 3.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	<b>OBSOLETE DATA CONVERTED V0203</b> See code 060 In situ, intraepithelial, noninvasive (flat, sessile)	ERROR	ERROR	ERROR	ERROR
050	Noninvasive papillary, polypoid, or verrucous carcinoma	NA	NA	IS	IS
060	In situ, intraepithelial, non invasive (flat, sessile)	NA	NA	IS	IS
100	Subepithelial connective tissue (lamina propria, submucosa) invaded	NA	NA	L	L
200	Muscularis invaded	NA	NA	L	L
300	Localized, NOS	NA	NA	L	L
400	Corpus spongiosum Periurethral muscle (sphincter) Prostate	NA	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600	Beyond the prostatic capsule Bladder neck Corpus cavernosum Vagina, anterior or NOS	NA	NA	RE	RE
700	Other adjacent organs, including Bladder (excluding bladder neck) Seminal vesicle(s)	NA	NA	D	D
800	Further contiguous extension	NA	NA	D	D
950	No evidence of primary tumor	NA	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**Urinary Other****CS Tumor Size/Ext Eval**

**Note:** The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

**Urinary Other****CS Lymph Nodes**

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

**Note 2:** Regional nodes include bilateral and contralateral involvement of named nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	NA	NA	NONE	NONE
100	Regional lymph node(s) : Iliac, NOS: Common External	NA	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial (femoral) Pelvic, NOS Sacral, NOS: Presacral Regional lymph node(s), NOS	NA	NA	RN	RN
800	Lymph nodes, NOS	NA	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NA	NA	U	U

**Urinary Other****CS Lymph Nodes Eval**

**Note:** The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

**Urinary Other****Regional Nodes Positive****See Standard Table**

**Note:** Record this field even if there has been preoperative treatment.

**Urinary Other****Regional Nodes Examined****See Standard Table**

**Urinary Other  
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	NA	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	NA	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	NA	NA	D	D
60	Distant metastasis, NOS	NA	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	NA	NA	U	U

**Urinary Other  
CS Mets Eval**

**Note:** The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	