

**Melanoma Conjunctiva**  
**Malignant Melanoma of Conjunctiva**  
**C69.0**

**M-8720-8790**

**C69.0 Conjunctiva**

**Note:** Laterality must be coded for this site.

**Melanoma Conjunctiva**  
**CS Tumor Size**  
**See Standard Table**

**Melanoma Conjunctiva**  
**CS Extension**

**Note 1:** The substantia propria is the stromal tissue of the conjunctiva underlying the epithelium. The bulbar conjunctiva covers the eyeball, the palpebral conjunctiva lines the eyelids, and the forniceal conjunctiva covers the junction of the eyelid and eyeball. The caruncle is the fleshy prominence at the inner corner of the eye lined by conjunctival epithelium.

**Note 2:** Tumors confined to the epithelium are staged as Tis in AJCC 7th Edition. Unless corneal extension is present, they are staged as T1 in AJCC 6th Edition.

**Note 3:** Quadrants of involvement are coded in CS Site-Specific Factor 2.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive Melanoma confined to conjunctival epithelium	Tis	T1	IS	IS
005	Melanoma confined to conjunctival epithelium with corneal extension	Tis	*	RE	RE
100	<b>OBSOLETE DATA RETAINED V0200;</b> SS1977 and SS2000 derivation changed to In situ Tumor(s) of bulbar conjunctiva confined to the epithelium occupying one quadrant or less	ERROR	T1	IS	IS
120	<b>OBSOLETE DATA RETAINED V0200;</b> SS1977 and SS2000 derivation changed to In situ Tumor(s) of bulbar conjunctiva confined to the epithelium occupying more than one quadrant	ERROR	T1	IS	IS

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
150	<b>OBSOLETE DATA CONVERTED V0200</b> ; See code 330 Tumor(s) of bulbar conjunctiva, NOS	ERROR	ERROR	ERROR	ERROR
300	Localized, NOS	^	*	L	L
310	Stated as T1a with no other information on extension	^	*	L	L
315	Stated as T1b with no other information on extension	^	*	L	L
320	Stated as T1c with no other information on extension	^	*	L	L
325	Stated as T1d with no other information on extension	^	*	L	L
330	Tumor(s) of bulbar conjunctiva NOS Stated as T1 NOS with no other information on extension	^	*	L	L
335	Tumor(s) of bulbar conjunctiva, NOS <b>WITH</b> corneal extension	^	*	RE	RE
400	<b>OBSOLETE DATA REVIEWED AND CHANGED V0200</b> Recoded to 330 or 335 depending on corneal involvement Tumor of bulbar conjunctiva, thickness not stated, <b>WITH</b> invasion of substantia propria (or with corneal extension, NOS)	ERROR	ERROR	ERROR	ERROR
410	<b>OBSOLETE DATA REVIEWED AND CHANGED V0200</b> Recoded to 415 or 425 depending on corneal involvement Tumor of bulbar conjunctiva, not more than 0.8 mm in thickness, <b>WITH</b> invasion of substantia propria	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
410 cont'd	(or with corneal extension, NOS)	ERROR	ERROR	ERROR	ERROR
415	<b>OBSOLETE DATA RETAINED V0200</b> CSv2 code, data recoded from code 410 Tumor of bulbar conjunctiva, not more than 0.8 mm in thickness, <b>WITHOUT</b> corneal extension	ERROR	*	L	L
420	<b>OBSOLETE DATA REVIEWED AND CHANGED V0200</b> Recoded to 430 or 435 depending on corneal involvement Tumor of bulbar conjunctiva, more than 0.8 mm in thickness, <b>WITH</b> invasion of substantia propria (or with corneal extension, NOS)	ERROR	ERROR	ERROR	ERROR
425	<b>OBSOLETE DATA RETAINED V0200</b> CSv2 code, data recoded from code 410 Tumor of bulbar conjunctiva, not more than 0.8 mm in thickness, <b>WITH</b> corneal extension	ERROR	*	RE	RE
430	<b>OBSOLETE DATA RETAINED V0200</b> ; CSv2 code, data recoded from code 420 Tumor of bulbar conjunctiva, more than 0.8 mm in thickness, <b>WITHOUT</b> corneal extension	ERROR	*	L	L
435	<b>OBSOLETE DATA RETAINED V0200</b> ; CSv2 code, data recoded from code 420 Tumor of bulbar conjunctiva, more than 0.8 mm in thickness, <b>WITH</b> corneal extension	ERROR	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
440	<b>OBSOLETE DATA RETAINED V0200</b> CSv1 code, data recoded from code 460 Tumor involves: Caruncle Conjunctival fornix Palpebral conjunctiva	ERROR	T3	L	L
445	Tumor involves: Conjunctival fornix Palpebral conjunctiva	^	T3	L	L
450	Tumor involves: Caruncle	^	T3	L	L
460	<b>OBSOLETE DATA REVIEWED AND CHANGED V0200</b> Tumors with involvement of sites in code 440 recoded to 440 or 465 depending on corneal involvement 440 + any of (400 to 420)	ERROR	ERROR	ERROR	ERROR
465	<b>OBSOLETE DATA RETAINED V0200</b> CSv2 code, data recoded from code 460 440 + Extension to cornea	ERROR	T3	RE	RE
470	445 + Extension to cornea Involvement of conjunctival fornix or palpebral conjunctiva <b>WITH</b> extension to cornea	^	T3	RE	RE
475	450 + Extension to cornea Involvement of caruncle <b>WITH</b> extension to cornea	^	T3	RE	RE
480	Stated as T2a with no other information on extension	^	T3	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
485	Stated as T2b with no other information on extension	^	T3	L	L
490	Stated as T2c with no other information on extension	^	T3	L	L
495	Stated as T2d with no other information on extension	^	T3	L	L
500	Tumor of non-bulbar conjunctiva, NOS Stated as T2 [NOS] with no other information on extension	^	T3	L	L
700	<b>OBSOLETE DATA RETAINED V0200</b> Sites separated for staging in V0200 Extension to: Eyelid Globe Orbit	ERROR	T4	RE	RE
710	Extension to Globe Stated as T3a with no other information on extension	^^	T4	RE	RE
720	Extension to: Eyelid Nasolacrimal system Stated as T3b with no other information on extension	^^	T4	RE	RE
730	Extension to Orbit Stated as T3c with no other information on extension	^^	T4	RE	RE
740	Extension to Sinus Stated as T3d with no other information on extension	^^	T4	D	D
750	Conjunctival melanoma with local	T3	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750 cont'd	invasion NOS Stated as T3 NOS with no other information on extension	T3	T4	RE	RE
800	<b>OBSOLETE DATA RETAINED V0200</b> Extension to sinus moved to code 740 in V0200 Further contiguous extension, including: Central nervous system	ERROR	T4	D	D
810	Tumor invades central nervous system Further contiguous extension Stated as T4 NOS with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension note stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 300-335, 445-450, and 470-500, the pathologic T category for AJCC 7 staging is assigned based on the value of CS TS/Ext Eval and thickness recorded in CS Site-Specific Factor 1, as shown in the Pathologic Eval Extension Thickness AJCC 7 Table (eval codes 2, 3, 6, 8). This table is also used if the CS TS/Ext Eval code is blank and CS Site-Specific Factor 1 does not equal 998. The clinical T category is assigned based on the value of CS TS/Ext Eval and quadrants recorded in CS Site-Specific Factor 2, as shown in the Clinical Eval Extension Quadrants AJCC 7 Table (eval codes 0, 1, 5, 9). This table is used if the CS TS/Ext Eval code is blank and CS Site-Specific Factor 1 equals 998.

^^For CS Extension codes 710- 740, the T category for AJCC 7 staging is assigned based on the value of CS TS/Ext Eval as shown in the Eval Extension T3 AJCC 7 Table for this schema.

\* For CS Extension codes 005, 305-335, 415, and 425-435, the pathologic T category for AJCC 6 staging is assigned based on the value of CS TS/Ext Eval and thickness recorded in CS Site-Specific Factor 1 as shown in the Pathologic Eval Extension Thickness AJCC 6 Table (eval codes 2, 3, 6, 8). This table is also used if the CS TS/Ext Eval code is blank and CS Site-Specific Factor 1 does not equal 998. The clinical T category for AJCC 6 staging is assigned based on the value of CS TS/Ext Eval as shown in the Clinical Eval Extension AJCC 6 Table (eval codes 0,1, 5, 9) for this schema. This table is used if the CS TS/Ext Eval code is blank and CS Site-Specific Factor 1 equals 998.

**Melanoma Conjunctiva**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**Melanoma Conjunctiva**  
**CS Lymph Nodes**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Cervical, NOS Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS Stated as N1 with no other information on regional lymph nodes	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

**Melanoma Conjunctiva**  
**CS Lymph Nodes Eval**  
**See Standard Table**

**Melanoma Conjunctiva**  
**Regional Nodes Positive**  
**See Standard Table**

**Note:** Record this field even if there has been preoperative treatment.

**Melanoma Conjunctiva**  
**Regional Nodes Examined**  
**See Standard Table**

**Melanoma Conjunctiva****CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	40 + 10 Distant metastasis plus distant lymph nodes	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

**Melanoma Conjunctiva****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

**Melanoma Conjunctiva****CS Site-Specific Factor 1****Measured Thickness (Depth)****Note: See page A-157**

**Note 1:** Code measured thickness (depth) of tumor, not size or diameter. Record actual measurement in hundredths of millimeter (mm) from the pathology report.

**Note 2:** Use code 991, 993, or 996 if the tumor is resected and the only information about depth is the physician's assignment of a stage value.

**Note 3:** Use code 998 if there is no resection of the primary site tumor.

Code	Description
000	No mass/tumor found
001-979	0.01 - 9.79 millimeters (mm) (Exact measurement to nearest hundredth of mm) Examples: 001 0.01 mm 002 0.02 mm 010 0.10 mm 074 0.74 mm 100 1.00 mm 105 1.05 mm 979 9.79 mm
980	9.80 mm or larger
981-987	<b>OBSELETE DATA CONVERTED V0200</b> Codes 981-987 converted to code 980 9.81-9.87 mm
988	Not applicable: Information not collected for this case (Cases with code 988 in CSv1 converted to 980)
989	<b>OBSELETE DATA CONVERTED V0200</b> Code 989 converted to 980 9.89 mm or larger
990	<b>OBSELETE DATA CONVERTED V0102</b> See code 999 Microinvasion; microscopic focus or foci only; no size given
991	Less than 0.5 mm Microinvasion; microscopic focus or foci only Stated as pathologic T1a with no other information on size, tumor resected Stated as pathologic T2a with no other information on size, tumor resected
992	Described as "less than 0.8 mm"
993	Described as "greater than 0.5 mm" Stated as pathologic T1b with no other information on size, tumor resected Stated as pathologic T2b with no other information on size, tumor resected
994	Described as "greater than 0.8 mm"

Code	Description
995	Described as "less than 1.5 mm"
996	Described as "greater than 1.5 mm" Stated as pathologic T1c with no other information on size, tumor resected Stated as pathologic T2c with no other information on size, tumor resected
998	No resection of primary site tumor
999	Unknown; size not stated Not documented in patient record Microinvasion; microscopic focus or foci only V0102-V0104 Note: Microinvasion, microscopic focus or foci only included in code 991 V0200

### Melanoma Conjunctiva

#### CS Site-Specific Factor 2

##### Quadrants

**Note: See page A-159**

**Note 1:** Code the number of quadrants clinically involved with melanoma of the conjunctiva as stated in the medical record. If the stated number of quadrants involved conflicts with the T category assigned by the physician, code the stated number of quadrants.

**Note 2:** If the number of involved quadrants is not stated but a clinical stage is assigned, use the code that matches the clinical T category as indicated in the code descriptions in the table.

Code	Description
010	Less than or equal to one quadrant involved
015	Stated as clinical T1a with no other information on quadrants Stated as clinical T2a with no other information on quadrants Stated as clinical T2c with no other information on quadrants
020	More than one but less than or equal to two quadrants involved
025	Stated as clinical T1b with no other information on quadrants Stated as clinical T2b with no other information on quadrants Stated as clinical T2d with no other information on quadrants
030	More than two but less than or equal to three quadrants involved
035	Stated as clinical T1c with no other information on quadrants
040	Greater than three quadrants involved

Code	Description
045	Stated as clinical T1d with no other information on quadrants
888	<b>OBSOLETE DATA CONVERTED V0200</b> See code 988 Not applicable for this site
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSV1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
999	Unknown or no information Not documented in patient record