

Malignant Melanoma of Anterior Tongue**C02.0-C02.3, C02.8-C02.9****M-8720-8790**

C02.0 Dorsal surface of tongue, NOS

C02.1 Border of tongue

C02.2 Ventral surface of tongue, NOS

C02.3 Anterior 2/3 of tongue, NOS

C02.8 Overlapping lesion of tongue

C02.9 Tongue, NOS

Melanoma Tongue Anterior**CS Tumor Size****See Standard Table****Melanoma Tongue Anterior****CS Extension**

Note 1: The intrinsic muscles of tongue are four paired muscles within the tongue which control its shape. The extrinsic muscles originate from structures outside the tongue and control its positioning.

Note 2: AJCC does not include a Tis or TX for melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.

Note 3: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 4: Use codes 410 and 420 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving the deeper tissues of the primary or adjacent sites.

Note 5: Use code 305 for localized tumor only if no information is available to assign code 110, 405, 440, or 520.

Note 6: Use code 440, 775, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor on one side confined to: Lamina propria Submucosa	ERROR	NA	L	L
105	OBSOLETE DATA REVIEWED V0203 See codes 110, 405 Tumor confined to mucosa of anterior tongue:	T3	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105 cont'd	Tumor confined to one side Midline tumor Tumor crosses midline	T3	NA	L	L
110	Tumor involving mucosa only of anterior tongue: Confined to one side Midline tumor	T3	NA	L	L
200	OBSOLETE DATA RETAINED V0200 Musculature, intrinsic or NOS	ERROR	NA	L	L
300	OBSOLETE DATA RETAINED V0200 Localized, NOS Midline tumor	ERROR	NA	L	L
305	Localized, NOS	T3	NA	L	L
310	OBSOLETE DATA CONVERTED V0203; See code 110 Midline tumor confined to mucosa	ERROR	ERROR	ERROR	ERROR
400	OBSOLETE DATA RETAINED V0200 Tumor crosses midline	ERROR	NA	L	L
405	Extension involving mucosa only across midline of tongue	T3	NA	L	L
410	Extension involving mucosa only: Base of tongue Floor of mouth Gingiva, lower Retromolar trigone	T3	NA	RE	RE
420	Extension involving mucosa only: Lateral pharyngeal wall Soft palate, inferior surface	T3	NA	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
420 cont'd	Tonsillar pillars and fossae Tonsils	T3	NA	D	RE
440	Stated as T3 with no other information on extension	T3	NA	L	L
500	OBSOLETE DATA RETAINED V0200 Base of tongue Floor of mouth Gingiva, lower Retromolar trigone	ERROR	NA	RE	RE
520	Involvement of deep soft tissue or musculature of tongue Soft tissue, NOS	T4a	NA	L	L
530	Sublingual gland	T4a	NA	RE	RE
540	520 + 500 Involvement of deep soft tissue or musculature of tongue plus mucosal involvement of any structure in code 410	T4a	NA	RE	RE
550	Involvement of deep soft tissue or musculature of any structure in code 410	T4a	NA	RE	RE
560	(520 - 550) + 420 Involvement of any structure in codes 520 - 550 plus mucosal involvement of any structure in code 420	T4a	NA	D	RE
570	Involvement of deep soft tissue or musculature of any structure in code 420	T4a	NA	D	RE
600	OBSOLETE DATA RETAINED V0200	ERROR	NA	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Lateral pharyngeal wall Soft palate, inferior surface Tonsillar pillars and fossae Tonsils	ERROR	NA	D	RE
700	Cartilage of mandible Cortical bone of mandible Mandible, NOS Cartilage, NOS Cortical bone, NOS Bone, NOS excluding maxilla and base of skull base	T4a	NA	RE	D
710	700 + (560 or 570) Involvement of any structure in code 700 plus any structure in code 560 or 570	T4a	NA	D	D
720	OBSOLETE DATA RETAINED V0200 (600) + (700)	ERROR	NA	D	D
740	OBSOLETE DATA CONVERTED V0200 See code 770 Maxilla Maxillary sinus	ERROR	ERROR	ERROR	ERROR
750	Musculature of tongue, extrinsic: Genioglossus Geniohyoid Hyoglossus Mylohyoid Palatoglossus Styloglossus	T4a	NA	D	D
760	Skin of face	T4a	NA	D	D
770	Cartilage of maxilla Cortical bone of maxilla	T4a	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
770 cont'd	Maxilla, NOS Maxillary sinus (antrum)	T4a	NA	D	D
775	Stated as T4a with no other information on extension	T4a	NA	L	L
790	Contiguous extension: Base of skull Carotid artery (encased) Masticator space Pterygoid plates	T4b	NA	D	D
800	OBSOLETE DATA RETAINED V0200 ; Further contiguous extension	ERROR	NA	D	D
801	Further contiguous extension including: Brain Dura Lower cranial nerves (IX, X, XI, XII) Mediastinal structures Prevertebral space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Melanoma Tongue Anterior
CS Tumor Size/Ext Eval
See Standard Table

Melanoma Tongue Anterior
CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 4: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 6: Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Cervical, NOS Deep cervical, NOS	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
120	<p>Positive regional node(s):</p> <ul style="list-style-type: none"> Level V node - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI node - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch <p>Other groups:</p> <ul style="list-style-type: none"> Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal 	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Retroauricular (mastoid) Retropharyngeal Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

Melanoma Tongue Anterior
CS Lymph Nodes Eval
See Standard Table

Melanoma Tongue Anterior
Regional Nodes Positive
See Standard Table

Note: Record this field even if there has been preoperative treatment.

Melanoma Tongue Anterior
Regional Nodes Examined
See Standard Table

Melanoma Tongue Anterior
CS Mets at DX

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

Melanoma Tongue Anterior**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.