

**Melanoma Palate Soft****Malignant Melanoma of Soft Palate, Uvula****C05.1-C05.2****M-8720-8790**

C05.1 Soft palate, NOS

C05.2 Uvula

**Note:** Soft palate excludes nasopharyngeal (superior) surface of soft palate (C11.3)**Melanoma Palate Soft****CS Tumor Size**

See Standard Table

**Melanoma Palate Soft****CS Extension****Note 1:** AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.**Note 2:** AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.**Note 3:** Use codes 350, 450, 610, and 620 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving deeper tissues of the primary or adjacent sites.**Note 4:** Use code 300 for localized tumor only if no information is available to assign code 105, 150, 640, or 660.**Note 5:** Use code 640, 735, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	<b>OBSOLETE DATA RETAINED V0200</b> Invasive tumor on one side confined to: Lamina propria Submucosa	ERROR	NA	L	L
105	Tumor confined to mucosa of soft palate or uvula on one side	T3	NA	L	L
150	Tumor confined to mucosa of soft palate or uvula crossing midline	T3	NA	L	L
200	<b>OBSOLETE DATA RETAINED V0200</b> Musculature invaded	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300	Localized, NOS	T3	NA	L	L
350	Extension involving mucosa only: Buccal mucosa (inner cheek)	T3	NA	RE	RE
400	<b>OBSOLETE DATA RETAINED V0200</b> Tumor crosses midline	ERROR	NA	L	L
450	Extension involving mucosa only: Lateral pharyngeal wall Tonsillar pillars and fossae Tonsils	T3	NA	RE	RE
500	<b>OBSOLETE DATA RETAINED V0200</b> Buccal mucosa (inner cheek) Gum (gingiva), upper	ERROR	NA	RE	RE
600	<b>OBSOLETE DATA RETAINED V0200</b> Lateral pharyngeal wall Tonsillar pillars and fossae Tonsils	ERROR	NA	RE	RE
610	Tumor involving mucosa only: Hard palate	T3	NA	RE	RE
620	Tumor involving mucosa only: Nasopharynx	T3	NA	D	D
640	Stated as T3 with no other information on extension	T3	NA	L	L
650	<b>OBSOLETE DATA RETAINED V0200</b> Hard palate	ERROR	NA	RE	RE
660	Involvement of deep soft tissue or musculature of soft palate or uvula	T4a	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
665	660 + (350, 450, or 610) Involvement of deep soft tissue or musculature of soft palate or uvula plus mucosal involvement of any structure in code 350, 450, or 610	T4a	NA	RE	RE
670	Involvement of deep soft tissue or musculature of any structure in code 350, 450, or 610	T4a	NA	RE	RE
675	Nasal cavity	T4a	NA	RE	D
680	Pterygoid muscle lateral Pterygoid plates	T4a	NA	RE	D
685	(665 - 680) + 620 Involvement in code 660 - 680 plus mucosal involvement of nasopharynx	T4a	NA	D	D
690	Involvement of deep soft tissue or musculature of nasopharynx	T4a	NA	D	D
700	Mandible Maxilla Maxillary sinus (antrum) Palatine bone (bone of hard palate) Bone excluding pterygoid plates, base of skull Cartilage, NOS Bone, NOS	T4a	NA	D	D
710	Pterygoid muscle, medial or NOS	T4a	NA	D	D
720	Tongue, NOS Deep (extrinsic) muscle of tongue: Genioglossus Geniohyoid Hyoglossus Mylohyoid Palatoglossus	T4a	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
720 cont'd	Styloglossus	T4a	NA	D	D
730	Larynx Hypopharynx	T4a	NA	D	D
735	Stated as T4a with no other information on extension	T4a	NA	D	D
740	<b>OBSOLETE DATA RETAINED V0200</b> Maxillary antrum (sinus) Nasopharynx, lateral or NOS	ERROR	NA	D	D
770	<b>OBSOLETE DATA CONVERTED V0200</b> See code 675 Nasal cavity	ERROR	ERROR	ERROR	ERROR
780	<b>OBSOLETE DATA CONVERTED V0200</b> See code 680 Pterygoid muscle, lateral Pterygoid plates Note: For medial pterygoid muscle or pterygoid muscle, NOS, see code 710	ERROR	ERROR	ERROR	ERROR
790	<b>OBSOLETE DATA RETAINED V0200</b> 770 or 780 with any of 700 to 760	ERROR	NA	D	D
800	Base of skull Carotid artery (encased)	T4b	NA	D	D
801	Further contiguous extension including: Brain Dura Lower cranial nerves (IX, X, XI, XII) Masticator space Mediastinal structures	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
801 cont'd	Prevertebral space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L
950	<b>OBSOLETE DATA RETAINED V0200</b> No evidence of primary tumor	ERROR	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**Melanoma Palate Soft**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**Melanoma Palate Soft**  
**CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

**Note 3:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 4:** The description of lymph nodes has been standardized across the head and neck schemas.

All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 5:** Level IA nodes have been moved from code 100 in CS Version 1 to code 110.

Retropharyngeal nodes have been moved from codes 110 and 120 in CS Version 1 to code 100.

Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level I: Level IB - Submandibular (submaxillary), sublingual Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
110	Positive regional node(s): Level IA - Submental	N1	NA	D	RN
120	Positive regional node(s): Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Pretracheal - above suprasternal notch Recurrent laryngeal Level VII - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN
190	<b>OBSOLETE DATA RETAINED V0200</b> Stated as N2a, no other information	ERROR	NA	RN	RN
200	<b>OBSOLETE DATA RETAINED V0200</b> Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	<b>OBSOLETE DATA RETAINED V0200</b> Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
220	<b>OBSOLETE DATA RETAINED V0200</b> Multiple positive ipsilateral nodes listed in code 120	ERROR	NA	D	D
290	<b>OBSOLETE DATA RETAINED V0200</b> Stated as N2b, no other information	ERROR	NA	RN	RN
300	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
410	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	<b>OBSOLETE DATA RETAINED V0200</b> ; Stated as N2c, no other information	ERROR	NA	RN	RN
500	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, <b>AND</b> not stated if single or multiple	ERROR	NA	RN	RN
510	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral <b>AND</b> not stated if single or multiple	ERROR	NA	D	RN
520	<b>OBSOLETE DATA RETAINED V0200</b> Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, <b>AND</b> not stated if single or multiple	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600	<b>OBSOLETE DATA RETAINED V0200</b> ; Stated as N2, NOS	ERROR	NA	RN	RN
700	<b>OBSOLETE DATA RETAINED V0200</b> Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**Melanoma Palate Soft  
CS Lymph Nodes Eval  
See Standard Table**

**Melanoma Palate Soft  
Regional Nodes Positive  
See Standard Table**

**Note:** Record this field even if there has been preoperative treatment.

**Melanoma Palate Soft  
Regional Nodes Examined  
See Standard Table**

**Melanoma Palate Soft  
CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes)	M1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
10 cont'd	Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

**Melanoma Palate Soft****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.