

# HEDIS® 2017

HEDIS® MEASURES	Texas Subset 2017
<b>Effectiveness of Care</b>	
<b>Prevention and Screening</b>	
Adult BMI Assessment (ABA)	
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	
Childhood Immunization Status (CIS)	X
Immunizations for Adolescents (IMA)	
Lead Screening In Children (LSC)	
Breast Cancer Screening (BCS)	X
Cervical Cancer Screening (CCS)	X
Colorectal Cancer Screening (COL)	X
Chlamydia Screening in Women (CHL)	X
Care for Older Adults (COA)	
<b>Respiratory Conditions</b>	
Appropriate Testing For Children with Pharyngitis (CWP)	X
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	
Pharmacotherapy Management of COPD Exacerbation (PCE)	
Medication Management for People with Asthma (MMA)	X
Asthma Medication Ratio (AMR)	
<b>Cardiovascular Conditions</b>	
Controlling High Blood Pressure (CBP)	X
Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	X
Satine Therapy for Patients With Cardiovascular disease (SPC)	X
<b>Diabetes</b>	
Comprehensive Diabetes Care (CDC)	X
Satine Therapy for Patients With Diabetes (SPD)	X
<b>Musculoskeletal Conditions</b>	
Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	
Osteoporosis Management in Women Who Had a Fracture (OMW)	
<b>Behavioral Health</b>	
Antidepressant Medication Management (AMM)	X
Follow-Up Care for Children Prescribed ADHD Medication (ADD)	X
Follow-Up After Hospitalization for Mental Illness (FUH)	X
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence (FUA)	
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications (SSD)	
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA)	
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)	
<b>Medication Management</b>	

Annual Monitoring for Patients on Persistent Medications (MPM)	
Medication Reconciliation Post-Discharge (MRP)	
<b>Overuse / Appropriateness</b>	
Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	X
Non-Recommended PSA-Based Screening in Older Men	
Appropriate Treatment for Children with Upper Respiratory Infection (URI)	X
Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis (AAB)	X
Use of Imaging Studies for Low Back Pain (LBP)	
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC)	
Potentially Harmful Drug-Disease Interactions in the Elderly (DDE)	
Use of High-Risk Medications in the Elderly (DAE)	
<b>Measures Collected Through Medicare Health Outcomes Survey</b>	
Medicare Health Outcomes Survey (HOS)	
Fall Risk Management (FRM)	
Management of Urinary Incontinence in Older Adults (MUI)	
Osteoporosis Testing in Older Women (OTO)	
Physical Activity in Older Adults (PAO)	
<b>Measures Collected Through CAHPS Health Plan Survey</b>	
Aspirin Use and Discussion (ASP)	
Flu Vaccinations for Adults Ages 18-64 (FVA)	X
Flu Vaccinations for Adults Ages 65 and Older (FVO)	
Medical Assistance With Smoking and Tobacco Use Cessation (MSC)	X
Pneumonia Vaccination Status for Older Adults (PNU)	
<b>Access/Availability of Care</b>	
Adults' Access to Preventive/Ambulatory Health Services (AAP)	X
Children and Adolescents' Access to Primary Care Practitioners (CAP)	
Annual Dental Visit (ADV)	
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET)	
Prenatal and Postpartum Care (PPC)	X
Call Answer Timeliness (CAT)	
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	
<b>Experience of Care</b>	
CAHPS Health Plan Survey 5.0H, Adult Version (CPA)	X
CAHPS Health Plan Survey 5.0H, Child Version (CPC)	
Children With Chronic Conditions (CCC)	
<b>Utilization and Risk Adjusted Utilization</b>	
<b>Utilization</b>	
Frequency of Ongoing Prenatal Care (FPC)	
Well-Child Visits in the First 15 Months of Life (W15)	X
Well-Child Visits in the Third, Fourth, Fifth And Sixth Years of Life (W34)	X
Adolescent Well-Care Visits (AWC)	X
Frequency of Selected Procedures (FSP)	
Ambulatory Care (AMB)	X
Inpatient Utilization-General Hospital/Acute Care (IPU)	X
Identification of Alcohol and Other Drug Services (IAD)	
Mental Health Utilization (MPT)	X
Antibiotic Utilization (ABX)	X
Standardized Healthcare-Associated Infection Ratio (HAI)	
<b>Risk Adjusted utilization</b>	

Plan All-Cause Readmissions (PCR)	
Inpatient Hospital Utilization (IHU)	
Emergency Department Utilization (EDU)	
Hospitalization for Potentially Preventable Complications (HPC)	
<b>Relative Resource Use</b>	
Relative Resource Use for People with Diabetes (RDI)	
Relative Resource Use for People with Cardiovascular Conditions (RCA)	
Relative Resource Use for People with Hypertension (RHY)	
Relative Resource Use for People with COPD (RCO)	
Relative Resource Use for People with Asthma (RAS)	
<b>Health Plan Descriptive Information</b>	
Board Certification (BCR)	X
Enrollment by Product Line (ENP)	X
Enrollment by State (EBS)	
Language Diversity of Membership (LDM)	
Race/Ethnicity Diversity of Membership (RDM)	
Weeks of Pregnancy at Time of Enrollment (WOP)	
Total Membership (TLM)	X
<b>Measures Collected Using Electronic Clinical Data System</b>	
Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	
Depression Remission or Response for Adolescents and adults (DRR)	