



# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=1




# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=2




# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=3




# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=4




# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=5




# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=6



# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=7



# Pancreatic Resection Volume, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
Better quality may be associated with greater volume  
(C) Comment submitted by hospital  
page=8

