

Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=1



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=2



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=3



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=4



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=5



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=6



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=7



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=8



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=9



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=10



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=11



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=12



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012


Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=13



Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2012

Hospital Patients Under Age 18

Better quality may be associated with lower rates

* Significantly below the State Rate (by hospital type); ** Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=14

