

# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=1



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=2



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=3



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=4



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=5



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=6



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=7



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=8



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=9



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=10



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=11



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=12



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=13



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011


Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=14



# Postoperative Wound Dehiscence: Risk-adjusted Complication Rate, 2011

Hospital Patients Under Age 18

Better quality may be associated with lower rates

\* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)

(C) Comment submitted by hospital

page=15

