


Pediatric Urinary Tract Infection Admission Risk-Adjusted-Rate, 2011

Urinary tract infection (UTI) is usually caused when bacteria enter the bladder and cause inflammation and infection. It is a very common condition, with older adults at highest risk. Left untreated, an infection has the potential to cause more serious, even life-threatening difficulties and permanent damage to the urinary tract. In most cases, an uncomplicated UTI can be treated with proper antibiotics in outpatient settings.



Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
State of Texas	3,440	6,867,313	50.09	45.43	50.07	(48.47, 51.66)
Anderson	10	11,365	87.99	44.95	88.87	(49.52, 128.23)
Andrews	Less than 5					
Angelina	8	23,075	34.67	45.36	34.70	(7.21, 62.19)
Aransas	6	4,419	135.79	44.62	138.16**	(74.82, 201.51)
Archer	Less than 5					
Armstrong	Less than 5					
Atascosa	Less than 5					
Austin	Less than 5					
Bailey	Less than 5					
Bandera	Less than 5					
Bastrop	7	19,601	35.71	43.22	37.52	(6.96, 68.08)
Baylor	Less than 5					
Bee	Less than 5					
Bell	41	88,145	46.51	47.74	44.24	(30.52, 57.95)
Bexar	195	467,004	41.76	45.28	41.87*	(35.76, 47.99)
Blanco	Less than 5					
Borden	Less than 5					
Bosque	Less than 5					
Bowie	11	21,998	50.01	43.83	51.81	(23.16, 80.45)
Brazoria	28	86,865	32.23	45.53	32.14*	(18.00, 46.29)
Brazos	28	47,652	58.76	47.58	56.07	(37.39, 74.75)
Brewster	Less than 5					
Briscoe	Less than 5					
Brooks	Less than 5					
Brown	Less than 5					
Burleson	Less than 5					
Burnet	Less than 5					
Caldwell	Less than 5					
Calhoun	Less than 5					
Callahan	Less than 5					
Cameron	167	134,561	124.11	44.98	125.27**	(113.84, 136.70)
Camp	Less than 5					
Carson	Less than 5					
Cass	Less than 5					
Castro	Less than 5					
Chambers	Less than 5					
Cherokee	7	13,280	52.71	45.15	53.00	(16.68, 89.33)
Childress	Less than 5					
Clay	Less than 5					
Cochran	Less than 5					

Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
Coke	Less than 5					
Coleman	Less than 5					
Collin	67	230,939	29.01	43.83	30.05*	(21.21, 38.89)
Collingsworth	Less than 5					
Colorado	Less than 5					
Comal	18	25,818	69.72	42.91	73.77	(47.04, 100.49)
Comanche	Less than 5					
Concho	Less than 5					
Cooke	Less than 5					
Coryell	6	19,975	30.04	47.35	28.80	(0.00, 57.73)
Cottle	Less than 5					
Crane	Less than 5					
Crockett	Less than 5					
Crosby	Less than 5					
Culberson	Less than 5					
Dallam	Less than 5					
Dallas	251	638,848	39.29	46.25	38.57*	(33.39, 43.74)
Dawson	Less than 5					
Deaf Smith	Less than 5					
Delta	Less than 5					
Denton	52	190,291	27.33	44.90	27.63*	(18.01, 37.26)
Dewitt	Less than 5					
Dickens	Less than 5					
Dimmit	Less than 5					
Donley	Less than 5					
Duval	Less than 5					
Eastland	Less than 5					
Ector	40	39,327	101.71	47.52	97.18**	(76.60, 117.75)
Edwards	Less than 5					
Ellis	9	43,772	20.56	43.38	21.52*	(1.11, 41.93)
El Paso	191	237,681	80.36	44.87	81.31**	(72.70, 89.92)
Erath	Less than 5					
Falls	5	3,662	136.52	45.45	136.39**	(67.44, 205.33)
Fannin	5	7,511	66.57	44.41	68.06	(19.35, 116.76)
Fayette	Less than 5					
Fisher	Less than 5					
Floyd	Less than 5					
Foard	Less than 5					
Fort Bend	19	175,258	10.84	43.44	11.33*	(1.14, 21.53)
Franklin	Less than 5					
Freestone	Less than 5					

Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
Frio	Less than 5					
Gaines	Less than 5					
Galveston	38	74,265	51.17	44.58	52.11	(36.65, 67.57)
Garza	Less than 5					
Gillespie	Less than 5					
Glasscock	Less than 5					
Goliad	Less than 5					
Gonzales	Less than 5					
Gray	6	5,458	109.94	47.34	105.44**	(50.10, 160.78)
Grayson	9	29,032	31.00	44.70	31.49	(6.80, 56.18)
Gregg	19	31,029	61.23	46.21	60.17	(36.67, 83.66)
Grimes	Less than 5					
Guadalupe	8	36,383	21.99	43.12	23.15*	(0.70, 45.61)
Hale	8	10,192	78.49	46.42	76.78	(35.88, 117.67)
Hall	Less than 5					
Hamilton	Less than 5					
Hansford	Less than 5					
Hardeman	Less than 5					
Hardin	18	13,893	129.56	43.42	135.47**	(99.26, 171.69)
Harris	375	1,139,577	32.91	46.20	32.34*	(28.47, 36.22)
Harrison	6	16,422	36.54	45.03	36.84	(4.13, 69.55)
Hartley	Less than 5					
Haskell	Less than 5					
Hays	12	41,836	28.68	45.30	28.75*	(8.31, 49.18)
Hemphill	Less than 5					
Henderson	17	18,009	94.40	44.15	97.09**	(65.54, 128.63)
Hidalgo	535	271,961	196.72	45.73	195.32**	(187.34, 203.29)
Hill	Less than 5					
Hockley	Less than 5					
Hood	Less than 5					
Hopkins	Less than 5					
Houston	Less than 5					
Howard	7	7,809	89.65	46.11	88.28	(41.40, 135.16)
Hudspeth	Less than 5					
Hunt	Less than 5					
Hutchinson	Less than 5					
Irion	Less than 5					
Jack	Less than 5					
Jackson	Less than 5					
Jasper	6	8,367	71.71	44.85	72.60	(26.68, 118.52)
Jeff Davis	Less than 5					

Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
Jefferson	51	58,399	87.33	45.65	86.87**	(69.64, 104.09)
Jim Hogg	Less than 5					
Jim Wells	24	11,512	208.49	45.34	208.78**	(169.85, 247.72)
Johnson	12	41,039	29.24	44.05	30.14	(9.22, 51.06)
Jones	Less than 5					
Karnes	Less than 5					
Kaufman	9	30,223	29.78	44.20	30.59	(6.25, 54.93)
Kendall	Less than 5					
Kenedy	Less than 5					
Kent	Less than 5					
Kerr	Less than 5					
Kimble	Less than 5					
King	Less than 5					
Kinney	Less than 5					
Kleberg	11	8,255	133.25	46.86	129.10**	(83.88, 174.33)
Knox	Less than 5					
Lamar	5	11,929	41.91	44.07	43.18	(4.39, 81.97)
Lamb	Less than 5					
Lampasas	Less than 5					
La Salle	Less than 5					
Lavaca	Less than 5					
Lee	Less than 5					
Leon	Less than 5					
Liberty	12	19,034	63.05	44.42	64.44	(33.85, 95.04)
Limestone	Less than 5					
Lipscomb	Less than 5					
Live Oak	Less than 5					
Llano	Less than 5					
Loving	Less than 5					
Lubbock	23	69,494	33.10	46.45	32.35*	(16.69, 48.00)
Lynn	Less than 5					
McCulloch	Less than 5					
McLennan	43	60,531	71.04	45.11	71.50**	(54.47, 88.52)
McMullen	Less than 5					
Madison	Less than 5					
Marion	Less than 5					
Martin	Less than 5					
Mason	Less than 5					
Matagorda	5	9,105	54.91	44.76	55.70	(11.64, 99.76)
Maverick	30	17,764	168.88	44.17	173.61**	(141.85, 205.36)
Medina	Less than 5					

Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
Menard	Less than 5					
Midland	13	36,929	35.20	46.22	34.58	(13.05, 56.11)
Milam	Less than 5					
Mills	Less than 5					
Mitchell	Less than 5					
Montague	Less than 5					
Montgomery	45	127,784	35.22	43.98	36.36*	(24.49, 48.22)
Moore	Less than 5					
Morris	Less than 5					
Motley	Less than 5					
Nacogdoches	12	16,429	73.04	47.37	70.02	(38.13, 101.90)
Navarro	6	12,905	46.49	44.11	47.85	(10.57, 85.14)
Newton	Less than 5					
Nolan	Less than 5					
Nueces	65	86,447	75.19	44.68	76.41**	(62.09, 90.72)
Ochiltree	Less than 5					
Oldham	Less than 5					
Orange	15	19,580	76.61	43.36	80.21	(49.69, 110.74)
Palo Pinto	Less than 5					
Panola	9	5,807	154.99	44.29	158.88**	(103.41, 214.34)
Parker	8	30,291	26.41	43.08	27.84	(3.21, 52.46)
Parmer	Less than 5					
Pecos	Less than 5					
Polk	Less than 5					
Potter	35	33,260	105.23	47.48	100.63**	(78.25, 123.02)
Presidio	Less than 5					
Rains	Less than 5					
Randall	21	30,007	69.98	44.53	71.35	(47.02, 95.69)
Reagan	Less than 5					
Real	Less than 5					
Red River	Less than 5					
Reeves	Less than 5					
Refugio	Less than 5					
Roberts	Less than 5					
Robertson	Less than 5					
Rockwall	Less than 5					
Runnels	Less than 5					
Rusk	Less than 5					
Sabine	Less than 5					
San Augustine	Less than 5					
San Jacinto	5	6,417	77.92	43.94	80.51	(27.54, 133.48)

Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
San Patricio	19	17,716	107.25	44.43	109.60**	(77.89, 141.30)
San Saba	Less than 5					
Schleicher	Less than 5					
Scurry	Less than 5					
Shackelford	Less than 5					
Shelby	7	6,685	104.72	45.93	103.50**	(52.74, 154.27)
Sherman	Less than 5					
Smith	13	54,437	23.88	45.13	24.02*	(6.08, 41.97)
Somervell	Less than 5					
Starr	41	20,478	200.21	45.40	200.25**	(171.08, 229.43)
Stephens	Less than 5					
Sterling	Less than 5					
Stonewall	Less than 5					
Sutton	Less than 5					
Swisher	Less than 5					
Tarrant	74	508,310	14.56	45.50	14.53*	(8.68, 20.38)
Taylor	19	32,053	59.28	47.49	56.67	(33.87, 79.47)
Terrell	Less than 5					
Terry	Less than 5					
Throckmorton	Less than 5					
Titus	Less than 5					
Tom Green	18	26,165	68.79	46.55	67.10	(41.62, 92.59)
Travis	96	250,337	38.35	47.28	36.83*	(28.65, 45.00)
Trinity	Less than 5					
Tyler	Less than 5					
Upshur	6	9,520	63.03	43.17	66.29	(22.41, 110.16)
Upton	Less than 5					
Uvalde	8	7,516	106.44	44.89	107.65**	(59.22, 156.07)
Val Verde	Less than 5					
Van Zandt	8	12,599	63.50	43.30	66.58	(28.50, 104.66)
Victoria	19	22,306	85.18	45.58	84.85**	(56.95, 112.74)
Walker	12	12,212	98.27	45.91	97.17**	(59.61, 134.74)
Waller	6	11,717	51.21	47.59	48.86	(11.19, 86.53)
Ward	Less than 5					
Washington	Less than 5					
Webb	153	89,146	171.63	45.69	170.57**	(156.63, 184.51)
Wharton	Less than 5					
Wheeler	Less than 5					
Wichita	21	30,949	67.85	45.23	68.11	(44.34, 91.89)
Wilbarger	Less than 5					
Willacy	9	5,885	152.92	44.89	154.67**	(99.94, 209.39)

Texas Health Care Information Collection
Pediatric Urinary Tract Infection Admission Rate, 2011

Rates not calculated for counties with fewer than 5 admissions

* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

** Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate
Williamson	23	123,231	18.66	45.01	18.83*	(6.88, 30.77)
Wilson	Less than 5					
Winkler	Less than 5					
Wise	6	15,551	38.58	43.50	40.27	(6.07, 74.47)
Wood	Less than 5					
Yoakum	Less than 5					
Young	Less than 5					
Zapata	Less than 5					
Zavala	Less than 5					