

ITEM RATIONALE

2020 SCHOOL HEALTH PROFILES SCHOOL PRINCIPAL QUESTIONNAIRE

QUESTION:

1. Has your school ever used the School Health Index or other self-assessment tool to assess your school's policies, activities, and programs in the following areas?

(a) Physical education and physical activity... (b) Nutrition... (c) Tobacco-use prevention... (d) Alcohol- and other drug-use prevention... (e) Chronic health conditions (e.g., asthma, food allergies)... (f) Unintentional injury and violence prevention (safety)... (g) Sexual health, including HIV, other STD, and pregnancy prevention

RATIONALE:

This question assesses whether the school has conducted an assessment or diagnosis as a critical first step in improving implementation of policies, programs, or environmental strategies to effect change or improvement in school health.¹ Studies confirm that the School Health Index² can help bring health issues to the school's attention, strengthen school commitment, identify changes that do not require additional funding, encourage development of policy and action, raise awareness of federal policies, support partnership development, and set policies and standards that meet national health objectives.³⁻⁹

REFERENCES:

1. Goodman R, Steckler A, Kegler MC. Mobilizing organizations for health enhancement. In: Glantz K, Lewis FM, Rimer B, eds. *Health Behavior and Health Education*. San Francisco, CA: Jossey Bass Publishers; 1997, pp. 287-312.
2. Centers for Disease Control and Prevention. *School Health Index*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention; 2014. Available at: www.cdc.gov/healthyyouth/shi.
3. National Association of Chronic Disease Directors (NACDD). *The Whole School, Whole Community, Whole Child Model: A Guide to Implementation*. 2017. Available at: http://www.ashaweb.org/wp-content/uploads/2017/10/NACDD_WSCC_Guide_Final.pdf
4. Pearlman DN, Dowling E, Bayuk C, Cullinen K, Thacher AK. From concept to practice: using the School Health Index to create healthy school environments in Rhode Island elementary schools. *Preventing Chronic Disease* [serial online] 2005;2(Special Issue):A09.

5. Staten LK, Teufel-Shone NI, Steinfelt VE, Ortega N, Halverson K, Flores C, Lebowitz MD. The School Health Index as an impetus for change. *Preventing Chronic Disease* [serial online] 2005;2(1):A19.
 6. Austin SB, Fung T, Cohen-Bearak A, Wardle K, Cheung LWY. Facilitating change in school health: a qualitative study of schools' experiences using the School Health Index. *Preventing Chronic Disease* [serial online] 2006;3(2):A35.
 7. Sherwood-Puzzello CM, Miller M, Lohrmann D, Gregory P. Implementation of CDC's School Health Index in 3 midwest middle schools: motivation for change. *Journal of School Health* 2007;77:285-293.
 8. Geiger BF, Petri CJ, Barber C. A university-school system partnership to assess the middle school health program. *American Journal of Health Studies* 2004;19(3):158-163.
 9. Butler JB, Fryer CS, Reed EA, Thomas SB. Utilizing the School Health Index to Build Collaboration Between a University and an Urban School District. *Journal of School Health* 2011;81(12):774-782.
-

QUESTIONS:

2. The Elementary and Secondary Education Act requires certain schools to have a written School Improvement Plan (SIP). Many states and school districts also require schools to have a written SIP. Does your school's written SIP include health-related objectives on any of the following topics?

(a) Health education...(b) Physical education...(c) Physical activity...(d) School meal programs...(e) Foods and beverages available at school outside the school meal programs...(f) Health services...(g) Counseling, psychological, and social services...(h) Physical environment...(i) Social and emotional climate...(j) Family engagement...(k) Community involvement...(l) Employee wellness
3. During the past year, did your school review health and safety data such as Youth Risk Behavior Survey data or fitness data as part of your school's improvement planning process?

RATIONALE:

These questions address whether school improvement planning addresses student health. School improvement plans can include health-related objectives, given strong evidence linking health to academic achievement. Healthy students are present in school and ready to learn, while poor health is a barrier to learning and a frequent cause of underachievement.^{1,2} In turn, academic success is an indicator of overall student well-being and a strong predictor of adult health outcomes.³⁻⁵

REFERENCES:

1. Michael SL, Merlo CL, Basch CE, Wentzel KR, Wechsler H. Critical Connections: Health and Academics. *Journal of School Health* 2015;(11):740-758.
 2. Basch CE. *Healthier Students Are Better Learners: A Missing Link in Efforts to Close the Achievement Gap*. New York, NY: Columbia University; 2010.
 3. Grossman M, Kaestner R. Effects of education on health. In: Behrman JR, Stacey N, eds. *The Social Benefits of Education*. Ann Arbor, MI: University of Michigan Press; 1997.
 4. Harper S, Lynch J. Trends in socioeconomic inequalities in adult health behaviors among U.S. states, 1990–2004. *Public Health Reports* 2007;122(2):177-189.
 5. Vernez G, Krop RA, Rydell CP. The public benefits of education. In: *Closing the Education Gap: Benefits and Costs*. Santa Monica, CA: RAND Corporation; 1999, pp. 13–32.
-

QUESTION:

4. Each local education agency participating in the National School Lunch Program or the School Breakfast Program is required to develop and implement a local wellness policy.

During the past year, has anyone at your school done any of the following activities?

- (a) Reviewed your district’s local wellness policy... (b) Helped revise your district’s local wellness policy... (c) Communicated to school staff about your district’s local wellness policy... (d) Communicated to parents and families about your district’s local wellness policy... (e) Communicated to students about your district’s local wellness policy... (f) Measured your school’s compliance with your district’s local wellness policy... (g) Developed an action plan that describes steps to meet requirements of your district’s local wellness policy

RATIONALE:

A local school wellness policy is a written document that guides a local educational agency or school district’s efforts to create supportive school nutrition and physical activity environments.¹ Each local education agency (school district) participating in the National School Lunch Program or the School Breakfast Program is required to develop and implement a local wellness policy.² School districts should develop wellness policies to meet the unique needs of each school under its jurisdiction, and meet the minimum requirements as defined by the United States Department of Agriculture.^{1,3} This question identifies some of the key implementation requirements.

REFERENCES:

1. CDC Healthy Schools. *Local School Wellness Policy*. Available at: <https://www.cdc.gov/healthyschools/npao/wellness.htm>.
 2. Healthy, Hunger-Free Kids Act of 2010. Public Law 111-296, 124 Stat 3183, Sec 203, 2010.
 3. Food and Nutrition Service, U.S. Department of Agriculture. Local school wellness policy implementation under the Healthy, Hunger-Free Kids Act of 2010. Final Rule. *Federal Register* 2016; 81(146):50151-70.
-

QUESTION:

5. Currently, does someone at your school oversee or coordinate school health and safety programs and activities?

RATIONALE:

This question assesses whether the school has identified a person responsible for coordinating a school's health program. It is critical to have one person appointed to oversee the school health program.¹⁻³ This individual coordinates school health activities, leads a school health committee or team, and integrates community-based programs with school-based programs.^{4,5} Administration and management of school health programs requires devoted time, attention, training, and expertise.^{1,6,7}

REFERENCES:

1. Rasberry CN, Slade S, Lohrmann DK, Valois RF. Lessons learned from the whole child and coordinated school health approaches. *Journal of School Health* 2015; 85(11):759-765.
2. National Association of Chronic Disease Directors (NACDD). *The Whole School, Whole Community, Whole Child Model: A Guide to Implementation*. 2017. Available at: http://www.ashaweb.org/wp-content/uploads/2017/10/NACDD_WSCC_Guide_Final.pdf
3. Lohrmann DK. A complementary ecological model of the coordinated school health program. *Journal of School Health* 2010; 80(1):1-9.
4. Fetro JV. Implementing coordinated school health programs in local schools. In: Marx E, Wooley S, eds. *Health Is Academic: A Guide to Coordinated School Health Programs*. New York, NY: Teachers College Press; 1998.

5. American Cancer Society. *School Health Program Elements of Excellence: Helping Children to Grow Up Healthy and Able to Learn*. Atlanta, GA: American Cancer Society; 2000.
 6. National Association of State Boards of Education. *Fit, Healthy, and Ready to Learn: A School Health Policy Guide*. Washington, DC: National Association of State Boards of Education; 2000.
 7. American Cancer Society. *Improving School Health: A Guide to the Role of School Health Coordinator*. Atlanta, GA: American Cancer Society; 1999.
-

QUESTION:

6. Is there one or more than one group (e.g., school health council, committee, team) at your school that offers guidance on the development of policies or coordinates activities on health topics?

RATIONALE:

This question assesses whether the school has a health committee or team. The school health committee or team should represent a coalition of representatives from within and outside of the school community interested in improving the health of youth in schools.¹⁻³ Participation on such committees or teams can empower others through increased awareness and knowledge of the school health program, increase the chance of ownership and commitment, activate channels of communication, and increase involvement in decision making.¹⁻⁶

REFERENCES:

1. Cheung K, Lesesne C, Rasberry C, Kroupa E, Fisher D, Robin L, Barnes SP. Barriers and facilitators to sustaining school health teams in coordinated school health programs. *Health Promotion and Practice* 2016;8(3):418-427.
2. Shirer K. *Promoting Healthy Youth, Schools and Communities: A Guide to Community-School Health Councils*. Atlanta, GA: American Cancer Society; 2003.
3. Lohrmann DK. A complementary ecological model of the coordinated school health program. *Journal of School Health* 2010;80:1.
4. Fetro JV. Implementing coordinated school health programs in local schools. In: Marx E, Wooley S, eds. *Health Is Academic: A Guide to Coordinated School Health Programs*. New York, NY: Teachers College Press; 1998, pp. 15-42.

5. American Academy of Pediatrics Council on School Health. In: Gereige RS, Zenni EA, eds. *School Health Policy and Practice*. 7th ed. Washington, DC: American Academy of Pediatrics; 2016.
 6. Hager ER, Rubio DS, Eidel GS, Hager ER, Rubio DS, Eidel GS, Penniston ES, Lopes M, Saksvig BI, Fox R, Black MM. Implementation of local wellness policies in schools: role of school systems, school health councils, and health disparities. *Journal of School Health* 2016;86:742-750.
-

QUESTION:

7. During the past year, has any school health council, committee, or team at your school done any of the following activities?
 - (a) Identified student health needs based on a review of relevant data...
 - (b) Recommended new or revised health and safety policies and activities to school administrators or the school improvement team...
 - (c) Sought funding or leveraged resources to support health and safety priorities for students and staff...
 - (d) Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members...
 - (e) Reviewed health-related curricula or instructional materials

RATIONALE:

This question assesses the major responsibilities of a school health committee or team. A school health council, committee, or team should regularly assess progress of school health activities and assist school leaders with oversight, planning, evaluation, and periodic revision of school health efforts.¹⁻⁵ Such a team can address major health issues facing students, assess availability of opportunities and resources, coordinate activities and resources, coordinate funding, support school health staff, and seek active involvement of students, families and the community in designing and implementing strategies to improve school health.⁶

REFERENCES:

1. National Association of State Boards of Education. *Fit, Healthy, and Ready to Learn: A School Health Policy Guide*. Washington, DC: National Association of State Boards of Education; 2012.
2. Shirer, K. *Promoting Healthy Youth, Schools, and Communities: A Guide to Community-School Health Councils*. Atlanta, GA: American Cancer Society; 2003.
3. Hunt P, Barrios L, Telljohann SK, Mazyck D. A Whole School Approach: Collaborative Development of School Health Policies, Processes, and Practices. *Journal of School Health* 2015;85(11): 802-809.

4. Fetro JV. Implementing coordinated school health programs in local schools. In: Marx E, Wooley S, eds. *Health Is Academic: A Guide to Coordinated School Health Programs*. New York, NY: Teachers College Press; 1998, pp. 15-43.
 5. Institute of Medicine. *Schools and Health: Our Nation's Investment*. Washington, DC: National Academy Press; 1997.
 6. North Carolina Department of Public Instruction. *Effective School Health Advisory Councils: Moving from Policy to Action*. Raleigh, NC: North Carolina Department of Public Instruction; 2003.
-

QUESTION:

8. During the past year, has your school taken any of the following actions related to before- or after-school programs?
 - (a) Included before- or after-school settings as part of the School Improvement Plan...
 - (b) Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings...
 - (c) Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming

RATIONALE:

More than 10 million children in the United States head to after-school programs when the school day ends.¹ These programs, also called out-of-school time programs, provide youth with safety and supervision.² Research shows that some out-of-school time programs can support student academic achievement²⁻⁴ and may play a role in reducing health disparities.^{3,4} Additionally, programs that follow evidence-based practices aimed at improving personal and social skills are linked with positive social behaviors.^{5,6} These questions ask about different actions that secondary schools may be taking to promote communication about and coordination with after-school programs.

REFERENCES:

1. Afterschool Alliance. *America After 3PM: Afterschool Programs in Demand*. Washington, DC; 2014. Available at: http://www.afterschoolalliance.org/documents/aa3pm-2014/aa3pm_national_report.pdf
2. McCombs JS, Whitaker A, Yoo PY. *The Value of Out-of-School Time Programs*. Santa Monica, CA: RAND Corporation; 2017.

3. Lauer PA, Akiba M, Wilkerson SB, Apthorp HS, Snow D, Martin-Glenn ML. Out-of-school-time programs: a meta-analysis of effects for at-risk students. *Review of Educational Research* 2006;76(2):275–313.
 4. The Community Preventive Services Task Force. *Promoting Health Equity Through Education Programs and Policies: Out-of-School-Time Academic Programs*. Atlanta, GA: Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2013.
 5. Durlak JA, Weissberg RP. Afterschool programs that follow evidence-based practices to promote social and emotional development are effective. In T.K. Peterson (Ed.), *Expanding Minds and Opportunities: Leveraging the Power of Afterschool and Summer Learning for Student Success* (pp. 194-198). Washington, DC: Collaborative Communication Group; 2013.
 6. Durlak JA, Weissberg RP, Pachan M. A meta-analysis of after-school programs that seek to promote personal and social skills in children and adolescents. *American Journal of Community Psychology*. 2010;45(3–4):294–309.
-

SEXUAL ORIENTATION

QUESTIONS:

9. Does your school have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity? These clubs sometimes are called Gay/Straight Alliances or Genders and Sexualities Alliances.
10. Does your school engage in each of the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth?
 - (a) Identify “safe spaces” (e.g., a counselor’s office, designated classroom, student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff...
 - (b) Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity...
 - (c) Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity...
 - (d) Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth...
 - (e) Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth

RATIONALE:

These questions assess whether the school implements activities and policies designed to create a safe and supportive school environment for lesbian, gay, bisexual, transgender, and questioning (LGBTQ) youth, also referred to as sexual and gender minority (SGM) youth. Research shows that sexual minority youth are more likely than their heterosexual peers to be electronically bullied, bullied and threatened or injured with a weapon on school property, and to skip school because they felt unsafe.^{1,2} Research also indicates that gender minority youth experience elevated rates of harassment compared to their cisgender peers.³ In 2013, approximately 74% of SGM students reported that they were verbally harassed at school during the past year because of their sexual orientation, while 36% were physically harassed at school, and 17% were physically assaulted at school.⁴ Sexual minority youth who experience victimization at school are at a greater risk of attempting suicide than those who do not,¹ and gender minority youth who report being bullied are at greater risk for substance use than those who are not.³

Gay/straight alliances (GSA) or similar clubs are associated with greater safety for SGM youth. Sexual minority youth who attend schools with a GSA are less likely than those at schools without such clubs to report dating violence, being threatened or injured with a weapon on school property, and skipping school because they felt unsafe,¹ and formative research with gender minority students indicates that those attending schools with GSAs have reduced rates of absenteeism compared to those in schools without such clubs.⁵ In addition, sexual minority youth who attend schools with gay/straight alliances or similar clubs, those who attend schools with an anti-bullying policy, and those who feel that there is a school staff member who could be

approached about a problem have a lower risk of suicidality than those who attend schools without these respective supports available.^{1,6} Gender minority youth in schools that prohibit harassment, have a gay/straight alliance or similar club on campus, and access to a supportive teacher report increased feelings of safety at school and reduced absenteeism.^{5,7}

These items provide data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-PS18-1807: Promoting Adolescent Health Through School-Based HIV Prevention.

REFERENCES:

1. Goodenow C, Szalacha L, Westheimer K. School support groups, other school factors, and the safety of sexual minority adolescents. *Psychology in the Schools* 2006; 45(3):573-589.
 2. Centers for Disease Control and Prevention. Youth risk behavior surveillance—United States, 2017. *MMWR Surveillance Summaries* 2018;67(No. SS-8).
 3. Reisner SL, Greytak EA, Parsons JT, Ybarra ML. Gender minority social stress in adolescence: disparities in adolescent bullying and substance use by gender identity. *Journal of Sex Research* 2015;52(3):243-256.
 4. Kosciw JG, Greytak EA, Palmer NA, Boesen MJ. *The 2013 National School Climate Survey: The Experiences of Lesbian, Gay, Bisexual and Transgender Youth in our Nation's Schools*. New York, NY: GLSEN; 2014. Available at: http://www.glsen.org/sites/default/files/2013%20National%20School%20Climate%20Survey%20Full%20Report_0.pdf.
 5. Greytak EA, Kosciw JG, Boesen MJ. Putting the "T" in "resource": The benefits of LGBT-related school resources for transgender youth. *Journal of LGBT Youth* 2013; 10(1-2):45-63.
 6. Hatzenbuehler ML, Birkett M, Van Wagenen A, Meyer IH. Protective school climates and reduced risk for suicide ideation in sexual minority youths. *American Journal of Public Health* 2014;104(2):279-286.
 7. McGuire JK, Anderson CR, Toomey RB, Russell ST. School climate for transgender youth: A mixed method investigation of student experiences and school responses. *Journal of Youth and Adolescence* 2010;39(10):1175-1188.
-

BULLYING AND SEXUAL HARASSMENT

QUESTIONS:

11. During the past year, did all staff at your school receive professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression?
12. Does your school have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression?
13. Does your school use electronic (e.g., e-mails, school web site), paper (e.g., flyers, postcards), or oral (e.g., phone calls, parent seminars) communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression?

RATIONALE:

These questions address actions schools can take to help prevent bullying and sexual harassment, including electronic aggression. The 2017 Youth Risk Behavior Survey found that 19% of high school students reported being bullied on school property in the prior 12 months, and 15% of high school students reported that they were bullied electronically.¹ Another nationally representative survey of middle and high school students found that nearly half (48%) experienced some form of sexual harassment during the 2010–11 academic year.² Adverse academic, psychological, and health consequences of bullying and sexual harassment have been documented, including absenteeism, depression and anxiety, and increased risk of violence involvement, substance use, and risky sexual behaviors.^{3–5}

Evidence suggests that school-based strategies, including a combination of whole-school programs with classroom curricula and small group or individual-level programs, can be used to prevent bullying.^{6–8} Additional promising practices have been identified, such as having a school-wide anti-bullying policy, enforcing it consistently, and promoting cooperation among school teachers, administrators, and parents.⁹ Moreover, under Title IX of the Education Amendments of 1972, federally funded schools are required to distribute to students, parents, and employees a formal policy for addressing sexual harassment.¹⁰ In addition to having policies in place, studies have also demonstrated the need for professional development to help school staff respond appropriately to bullying and sexual harassment.¹¹ Responding quickly and consistently to bullying and sexual harassment can help stop this behavior over time.¹²

REFERENCES:

1. Centers for Disease Control and Prevention. Youth risk behavior surveillance—United States, 2017. *MMWR Surveillance Summaries* 2018;67(No. SS-8).
2. Hill C, Kears H. *Crossing the Line: Sexual Harassment at School*. Washington, DC: American Association of University Women Educational Foundation; 2011.

3. Moore SE, Norman RE, Suetani S, Thomas HJ, Sly PD, Scott JG. Consequences of bullying victimization in childhood and adolescence: A systematic review and meta-analysis. *World Journal of Psychiatry* 2017;7(1):60-76.
 4. Holt MK, Matjasko JL, Espelage D, Reid G, Koenig B. Sexual risk taking and bullying among adolescents. *Pediatrics* 2013;132(6):1481-1487.
 5. Steiner RJ, Rasberry CN. Brief Report: Associations between in-person and electronic bullying victimization and missing school because of safety concerns among U.S. high school students. *Journal of Adolescence* 2015;43:1-4.
 6. Vreeman RC, Carroll AE. A systematic review of school-based interventions to prevent bullying. *Archives of Pediatrics & Adolescent Medicine* 2007;161(1):78-88.
 7. Smokowski P, Kopasz, KH. Bullying in school: an overview of types, effects, family characteristics, and intervention strategies. *Children & Schools* 2005;27(2):101-110.
 8. Ttofi MM, Farrington DP. Effectiveness of school-based programs to reduce bullying: A systematic and meta-analytic review. *Journal of Experimental Criminology* 2011;7:27-56.
 9. U.S. Department of Health and Human Services. *Prevention at school*. Available at: <https://www.stopbullying.gov/prevention/at-school/index.html>.
 10. Office for Civil Rights, U.S. Department of Education. *Revised Sexual Harassment Guidance: Harassment of Students by School Employees, Other Students, and Third Parties*. 2001. Available at: <http://www.ed.gov/about/offices/list/ocr/docs/shguide.pdf>.
 11. Charmaraman L, Jones AE, Stein N, Espelage DL. Is it bullying or sexual harassment? Knowledge, attitudes, and professional development experiences of middle school staff. *Journal of School Health* 2013;83(6):438-44.
 12. U.S. Department of Health and Human Services in partnership with the Department of Education and the Department of Justice. *Respond to bullying*. Available at: <http://www.stopbullying.gov/respond/index.html>.
-

REQUIRED PHYSICAL EDUCATION

QUESTION:

14. Is a required physical education course taught in each of the following grades in your school?

RATIONALE:

This question measures the extent to which physical education is required for students in grades 6 through 12. Physical education provides students with the knowledge, attitudes, skills, behaviors, enjoyment, and confidence to adopt and maintain physically active lifestyles.¹⁻⁵ The importance of physical education in promoting the health of young people is supported by *Healthy People 2020* Physical Activity objective-4 (PA-4): increase the proportion of the Nation's public and private schools that require daily physical education for all students and PA-5: increase the proportion of adolescents who participate in daily school physical education.⁶

This item provides data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

REFERENCES:

1. SHAPE America. *National Standards & Grade-level Outcomes for K-12 Physical Education*. Champaign, IL: Human Kinetics; 2014.
2. SHAPE America. *The Essential Components of Physical Education*. Reston, VA: SHAPE America; 2015.
3. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
4. Institute of Medicine. *Educating the Student Body: Taking Physical Activity and Physical Education to School*. Kohl HW III, Cook HD, eds; Committee on Physical Activity and Physical Education in the School Environment; Food and Nutrition Board; Institute of Medicine. Washington DC: The National Academies Press; 2013. Available at: http://www.nap.edu/catalog.php?record_id=18314.
5. Centers for Disease Control and Prevention. *Physical Education Curriculum Analysis Tool*. Atlanta, GA: Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2019.
6. U.S. Department of Health and Human Services. *Healthy People 2020*. Office of Disease Prevention and Health Promotion. November 2010. Available at: <https://www.healthypeople.gov/2020/topics-objectives/topic/physical-activity/objectives>.

PHYSICAL EDUCATION AND PHYSICAL ACTIVITY

QUESTION:

15. During the past year, did any physical education teachers or specialists at your school receive professional development (e.g., workshops, conferences, continuing education, any other kind of in-service) on physical education or physical activity?

RATIONALE:

This question examines professional development for physical education (PE) teachers. PE teachers should have professional development opportunities that help them build new knowledge and skills to improve physical education and increase students' physical activity.¹⁻³ PE teachers who participate in staff development programs are more likely to use recommended teaching methods such as holding group discussions, implementing physical activity stations, videotaping student performances, testing students' knowledge related to PE, giving fitness tests, keeping students physically active the majority of PE class time, and explaining to students the meaning of fitness scores.⁴ Professional development for PE teachers provides skills for improving PE classes through student engagement in physical activity and the content of lessons taught.⁵⁻⁷

This item provides data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

REFERENCES:

1. SHAPE America. *National Standards & Grade-level Outcomes for K-12 Physical Education*. Champaign, IL: Human Kinetics; 2014.
2. SHAPE America. *The Essential Components of Physical Education*. Reston, VA: SHAPE America—Society of Health and Physical Educators; 2015. Available at: <http://www.shapeamerica.org/upload/TheEssentialComponentsOfPhysicalEducation.pdf>.
3. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
4. Davis K, Burgeson CR, Brener ND, McManus T, Wechsler H. The relationship between qualified personnel and self-reported implementation of recommended physical education practices and programs in U.S. schools. *Research Quarterly for Exercise and Sport* 2005; 76(2):202-211.
5. Kelder S, Mitchell PD, McKenzie TL, Derby CA, Strikmiller PK, Luepker RV, Stone EJ. Long-term implementation of the CATCH physical education program. *Health Education and Behavior* 2003;30(4):463-475.

6. Lander NJ, Barnett LM, Brown H, Telford A. Physical education teacher training in fundamental movement skills makes a difference to instruction and assessment practices. *Journal of Teaching in Physical Education* 2015;34(3):548-556.
 7. Smith NJ, Lounsbery MAF, McKenzie TL. Physical activity in high school physical education: impact of lesson context and class gender composition. *Journal of Physical Activity & Health* 2014;11(1):127-135.
-

QUESTION:

16. Does your school engage in the following physical education practices?...
 - (a) Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education...
 - (b) Require physical education teachers to follow a written physical education curriculum...
 - (c) Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer...
 - (d) Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class...
 - (e) Require physical education teachers to be certified, licensed, or endorsed by the state in physical education...
 - (f) Limit physical education class sizes so that they are the same size as other subject areas...
 - (g) Have a dedicated budget for physical education materials and equipment...
 - (h) Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate...
 - (i) Include students with disabilities in regular physical education courses as appropriate

RATIONALE:

This question examines the extent to which schools are implementing key physical education policies and curricular approaches identified in *The Essential Components of Physical Education*. This document identifies four essential components to help schools create a strong foundation for physical education programs: 1) policy and environment; 2) curriculum; 3) appropriate instruction; and 4) student assessment.^{1,2} Specifically, the policy and environment component raises awareness of the critical policies that need to be in place to ensure physical education is part of a well-rounded education for all students.^{3,4} Strongly worded and well-monitored physical education policies have the potential to improve physical education programs and increase physical activity levels among students. The curriculum component underscores the need for a physical education curriculum that aligns with national standards for physical education.⁵ The appropriate instruction and student assessment components are also important aspects of the curriculum. Appropriate instruction aligns the student objectives and outcomes with the learning activities that are identified in the curriculum.^{1,2} Student assessments provide

evidence of whether students have achieved grade-level outcomes and national and state standards.^{1,2,5}

This item provides data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

REFERENCES:

1. SHAPE America. *The Essential Components of Physical Education*. Reston, VA: SHAPE America—Society of Health and Physical Educators; 2015. Available at: <http://www.shapeamerica.org/upload/TheEssentialComponentsOfPhysicalEducation.pdf>.
2. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
3. Institute of Medicine. *Educating the Student Body: Taking Physical Activity and Physical Education to School*. Kohl HW III, Cook HD, eds; Committee on Physical Activity and Physical Education in the School Environment; Food and Nutrition Board; Institute of Medicine. Washington DC: The National Academies Press; 2013. Available at: http://www.nap.edu/catalog.php?record_id=18314.
4. Ward DS. *School policies on physical education and physical activity*. San Diego, CA: Active Living Research; 2013. Available at: http://activelivingresearch.org/sites/default/files/Synthesis_Ward_SchoolPolicies_Oct2011_1.pdf.
5. SHAPE America. *National Standards & Grade-level Outcomes for K-12 Physical Education*. Champaign, IL: Human Kinetics; 2014.

QUESTIONS:

17. Outside of physical education, do students participate in physical activity in classrooms during the school day?
18. Not including physical education and classroom physical activity, does your school offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs?

RATIONALE:

These questions examine the extent to which schools are providing physical activity opportunities outside of physical education. Schools play a critical role in helping students participate in the recommended 60 minutes of physical activity every day.^{1,2} In order to achieve this recommendation, it is important to provide physical activity opportunities, such as classroom physical activity, recess, lunchtime intramurals, and physical activity clubs, in addition to physical education.³⁻⁶ Students can accumulate physical activity through these opportunities and such participation can also enhance time on task, attentiveness, concentration in the classroom, and academic performance.^{7,8}

These items provide data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

REFERENCES:

1. U.S. Department of Health and Human Services. *2008 Physical Activity Guidelines for Americans*. Washington, DC: U.S. Department of Health and Human Services; 2008.
2. Institute of Medicine. *Educating the Student Body: Taking Physical Activity and Physical Education to School*. Kohl HW III, Cook HD, eds; Committee on Physical Activity and Physical Education in the School Environment; Food and Nutrition Board; Institute of Medicine. Washington DC: The National Academies Press; 2013. Available at: http://www.nap.edu/catalog.php?record_id=18314.
3. Physical Activity Guidelines for Americans Midcourse Report Subcommittee of the President's Council on Fitness, Sports & Nutrition. *Physical Activity Guidelines for Americans Midcourse Report: Strategies to Increase Physical Activity among Youth*. Washington, DC: U.S. Department of Health and Human Services; 2012.
4. Centers for Disease Control and Prevention. *A Guide for Developing Comprehensive School Physical Activity Programs*. Atlanta, GA: US Department of Health and Human Services; 2013.
5. Centers for Disease Control and Prevention. *Strategies for Classroom Physical Activity in Schools*. Atlanta, GA: Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2018.
6. Centers for Disease Control and Prevention and SHAPE America—Society of Health and Physical Educators. *Strategies for Recess in Schools*. Atlanta, GA: Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2017.
7. Rasberry CN, Lee SM, Robin L, Laris BA, Russell LA, Coyle KK, Nihiser AJ. The association between school-based physical activity, including physical education, and

academic performance: a systematic review of the literature. *Preventive Medicine* 2011;52 Suppl 1:S10-20.

8. Centers for Disease Control and Prevention. *Health and Academic Achievement*. Atlanta, GA: Centers for Disease Control and Prevention; 2014. Available at: https://www.cdc.gov/healthyschools/health_and_academics/pdf/health-academic-achievement.pdf.
-

QUESTIONS:

19. Does your school offer interscholastic sports to students?
20. Does your school offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times?

(a) Before the school day...(b) After the school day

RATIONALE:

These questions measure the extent to which students are provided the opportunity to participate in physical activities before and after the school day, through intramural activities, physical activity clubs, and interscholastic sports. Offering a variety of opportunities can increase students' physical activity and help them attain their 60 minutes of daily activity.^{1,2} According to SHAPE America, intramural activities, physical activity clubs, and recreation clubs contribute to young people's physical and social development. Additionally, intramural activities or physical activity clubs offer students the opportunity to be involved in planning and implementing such programs and offer safe and structured opportunities to be physically active.³⁻⁶

School or community-based sports programs provide structured time for students to accumulate minutes of physical activity, establish cooperative and competitive skills, and learn sport-specific and performance-based skills. Evidence indicates that participation in sports is related to higher levels of participation in overall physical activity.⁷ Additionally, participation in sports programs has been associated with improved mental health and fewer risky health behaviors.^{7,8}

These items provide data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

REFERENCES:

1. Physical Activity Guidelines for Americans Midcourse Report Subcommittee of the President's Council on Fitness, Sports & Nutrition. *Physical Activity Guidelines for*

Americans Midcourse Report: Strategies to Increase Physical Activity among Youth. Washington, DC: U.S. Department of Health and Human Services; 2012.

2. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
 3. Pate RR, O'Neill JR. After-school interventions to increase physical activity among youth. *British Journal of Sports Medicine* 2009;43:14-18.
 4. Beets M, Beighle A, Erwin H, Huberty J. After-school impact on physical activity and fitness. A meta-analysis. *American Journal of Preventive Medicine* 2009;36(6):527-537.
 5. National Association for Sport and Physical Education. *Before- and after-school physical activity & intramural sport programs* [Position statement]. Reston, VA: National Association for Sport and Physical Education; 2013. Available at: <https://www.shapeamerica.org/uploads/pdfs/2018/advocacy/position-statements/Before-and-After-School-Physical-Activity.pdf>
 6. Bocarro JN, Kanters, Michael A, Edwards MB, Casper JM, McKenzie TL. Prioritizing school intramural and interscholastic programs based on observed physical activity. *American Journal of Health Promotion* 2014;28(3):S65-S71.
 7. Rasberry CN, Lee SM, Robin L, Laris BA, Russell LA, Coyle KK, Nihiser AJ. The association between school-based physical activity, including physical education, and academic performance: a systematic review of the literature. *Preventive Medicine* 2011;52 Suppl 1:S10-20.
 8. Brown DR, Galuska DA, Zhang J, Blanck HM, Ainsworth BE. Physical activity, sport participation, and suicidal behavior: U.S. high school students. *Medicine & Science in Sports & Exercise* 2007; 39(12):2248-2257.
-

QUESTION:

21. A joint use agreement is a formal agreement between a school or school district and another public or private entity to jointly use either school facilities or community facilities to share costs and responsibilities. Does your school, either directly or through the school district, have a joint use agreement for shared use of the following school or community facilities?

(a) Physical activity facility...(b) Kitchen facilities and equipment...(c) Gardens

RATIONALE:

This question measures the extent to which schools and communities have an agreement to share physical activity and kitchen facilities. School spaces and facilities should be available to young people for physical activity before, during, and after the school day, on weekends, and during summer and other vacations.^{1,2} Access to these facilities increases visibility of schools, provides youth, their families, and community members a safe place for physical activity, and might increase partnerships with community-based physical activity programs.^{1,2} Community resources can expand existing school programs by providing program staff as well as intramural and club activities on school grounds. For example, community agencies and organizations can use school facilities for after-school physical fitness programs for children and adolescents, weight management programs for overweight or obese young people, and sports and recreation programs for young people with disabilities or chronic health conditions.²⁻⁶ The American Heart Association recommends the shared use of school spaces to increase opportunities for physical activity in communities.⁷

Access to school kitchen facilities and equipment outside of school hours, as school-community kitchens, is an emerging topic of interest. Such shared use agreements can support culinary and nutrition education for students, school employees, parents, and community members. Kitchen facilities and equipment also can be a resource for school events, start-up food businesses, emergency preparedness, and other school and community initiatives.⁸⁻¹⁰ Limited access to a kitchen or refrigerator can be a barrier for out-of-school time programs to provide healthy foods to participants.¹¹ Shared use of kitchen facilities may therefore help support healthy eating in such programs.¹⁰⁻¹²

The Community Preventive Services Task Force (CPSTF) recommends school-based gardening interventions in combination with nutrition education to increase children's vegetable consumption.¹³ Shared use agreements can expand garden-based learning opportunities to community organizations, including after-school programs and SNAP-ED, and can promote school garden sustainability. Community-based organizations can help maintain gardens during highly productive periods when school is out of session (e.g., summer recess).

Question 21a provides data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

REFERENCES:

1. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
2. Institute of Medicine. *Educating the Student Body: Taking Physical Activity and Physical Education to School*. Kohl HW III, Cook HD, eds; Committee on Physical Activity and Physical Education in the School Environment; Food and Nutrition Board; Institute of

- Medicine. Washington, DC: The National Academies Press, 2013. Available at: http://www.nap.edu/catalog.php?record_id=18314.
3. Baker T, Masud H. Liability risks for afterhours use of public school property to reduce obesity. *Journal of School Health* 2010;80(10):508-513.
 4. DeFosset AR, Gase LN, Gonzalez E, Kuo T. Access to and use of schools for physical activity among adults in Los Angeles County. *Health Promotion Practice* 2016;17(3): 416-428.
 5. Choy LB, McGurk MD, Tamashiro R, Nett B, Maddock JE. Increasing access to places for physical activity through a joint use agreement: a case study in urban Honolulu. *Preventing Chronic Disease* [serial online] 2008;5(3).
 6. Kanters MA, Bocarro JN, Filardo M, Edwards MB, McKenzie TL, Floyd MF. Shared use of school facilities with community organizations and afterschool physical activity program participation: a cost-benefit assessment. *Journal of School Health* 2014; 84(5):302-9.
 7. Young DR, Spengler JO, Frost N, Evenson KR, Vincent JM, Whitsel L. Promoting physical activity through the shared use of school recreational spaces: a policy statement from the American Heart Association. *American Journal of Public Health*. 2014;104(9).
 8. Topaloff A. *The Shared-use Kitchen Planning Toolkit*. Ames, IA: Iowa State University; 2014. Available at: <https://www.leopold.iastate.edu/files/pubs-and-papers/2014-09-shared-use-kitchen-planning-toolkit.pdf>.
 9. Center for Ecoliteracy. *Rethinking School Lunch: School-Community Kitchens. Resource Hubs Serving Students and Surrounding Communities*. Berkeley, CA: Center for Ecoliteracy; 2012. Available at: https://www.ecoliteracy.org/sites/default/files/uploads/shared_files/CEL-School-Community-Kitchens.pdf.
 10. Pew Charitable Trusts and the Robert Wood Johnson Foundation. *Neighborhoods and Districts Benefit from Expanded Access to School Kitchens*. 2017. Available at: <https://www.pewtrusts.org/en/research-and-analysis/issue-briefs/2017/05/neighborhoods-and-districts-benefit-from-expanded-access-to-school-kitchens>.
 11. Public Health Law Center at William Mitchell College of Law. *Missouri Community Use of School Property: School Administrator and End User Survey Report*. St. Paul, MN: Public Health Law Center at William Mitchell College of Law; 2015. Available at: http://www.publichealthlawcenter.org/sites/default/files/resources/Missouri-use-of-school-property.WEB_.1.pdf.
 12. National Afterschool Association. *HEPA standards*. Oakton, VA: National Afterschool Association; 2011. Available at: http://naaweb.org/images/NAA_HEPA_Standards_new_look_2015.pdf.

13. The Community Guide. Nutrition: *Gardening Interventions to Increase Vegetable Consumption Among Children*. Available at:
<https://www.thecommunityguide.org/resources/one-pager-gardening-interventions-increase-vegetable-consumption-among-children>.
-

QUESTIONS:

22. Does your school have a written plan for providing opportunities for students to be physically active before, during, and after school? This also may be referred to as a Comprehensive School Physical Activity Program plan.
23. During the past year, has your school assessed opportunities available to students to be physically active before, during, or after school?

These items provide data for a school health specific performance measure. These measures are required for grantees receiving funding CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools.

RATIONALE:

These questions examine whether schools are developing and evaluating a Comprehensive School Physical Activity Program (CSPAP). CSPAP is a framework for planning and organizing activities for school physical education and physical activity.¹⁻³ The goal of a CSPAP is to increase physical activity opportunities before, during, and after school and to increase students' overall physical activity and health.^{1,2} Healthy and physically active students tend to have better grades, school attendance, cognitive performance (e.g., memory), and classroom behaviors (e.g., on-task behavior).⁴ The Centers for Disease Control and Prevention's Comprehensive School Physical Activity Programs: A Guide for Schools outlines a step-by-step process to develop, implement, and evaluate a CSPAP.² This process helps schools develop a yearly plan for physical education and physical activity that they can implement and evaluate.

REFERENCES:

1. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
2. Centers for Disease Control and Prevention. *A Guide for Developing Comprehensive School Physical Activity Programs*. Atlanta, GA: US Department of Health and Human Services; 2013.

3. Centers for Disease Control and Prevention. *Increasing Physical Education and Physical Activity: A Framework for Schools*. Atlanta, GA: Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2017.
 4. Michael SL, Merlo C, Basch C, Wentzel KR, Wechsler H. Critical connections: health and academics. *Journal of School Health* 2015;85(11): 740–758.
-

TOBACCO-USE PREVENTION POLICIES

QUESTIONS:

24. Has your school adopted a policy prohibiting tobacco use?
25. Does the tobacco-use prevention policy specifically prohibit use of each type of tobacco for each of the following groups during any school-related activity?
 - (a) Cigarettes...
 - (b) Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)...
 - (c) Cigars...
 - (d) Pipes...
 - (e) Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)
26. Does the tobacco-use prevention policy specifically prohibit tobacco use during each of the following times for each of the following groups?
 - (a) During school hours...
 - (b) During non-school hours
27. Does the tobacco-use prevention policy specifically prohibit tobacco use in each of the following locations for each of the following groups?
 - (a) In school buildings...
 - (b) Outside on school grounds, including parking lots and playing fields...
 - (c) On school buses or other vehicles used to transport students...
 - (d) At off-campus, school-sponsored events

RATIONALE:

These questions measure the extent to which schools develop, implement, and enforce a policy that creates a totally tobacco-free environment within the school experience for both young people and adults, as outlined in the CDC *Guidelines for School Health Programs to Prevent Tobacco Use and Addiction*¹ to achieve the *Healthy People 2020* objective Tobacco Use-15 (TU-15) of increasing tobacco-free environments in schools, including all school facilities, property, vehicles, and school events.²

Because tobacco use is the most preventable contributor to mortality in the United States, it is important to restrict use of or exposure to tobacco products at an early age.³ The existence and enforcement of a school policy creates a tobacco-free environment that models acceptable behavior and sends a clear message to students, teachers, staff, parents, and visitors that the use of tobacco is socially unacceptable.⁴ Environmental interventions aimed at reducing use of tobacco in homes, public places, and worksites lead to reduction of tobacco use.⁵ Likewise, tobacco-free school policies are associated with lower rates of student smoking.^{4,6-8}

Prohibiting any use of any tobacco product at all times, whether or not school is in session, and regardless of whether students are present, protects students and staff from the harmful effects of secondhand smoke (a mixture of smoke from the burning end of tobacco products and the smoke exhaled by smokers). The 2006 U.S. Surgeon General's report, *The Harmful Effects of*

Involuntary Exposure to Tobacco Smoke, outlines a large body of research findings which demonstrate that breathing secondhand smoke is harmful to health.⁹ Evidence shows that there is no safe level of secondhand smoke exposure, and even the most advanced ventilation systems cannot eliminate secondhand smoke or its harmful effects.⁹ A complete ban of indoor tobacco product use at all times in a facility (such as a school building) is the only effective approach to controlling involuntary inhalation of secondhand tobacco product emissions.^{9,10}

REFERENCES:

1. Centers for Disease Control and Prevention. Guidelines for school health programs to prevent tobacco use and addiction. *Morbidity and Mortality Weekly Report* 1994;43(No. RR-2):1-18.
2. U.S. Department of Health and Human Services. *Healthy People 2020*. Office of Disease Prevention and Health Promotion. November 2010. Available at: <https://www.healthypeople.gov/2020/topics-objectives/topic/tobacco-use/objectives>.
3. U.S. Department of Health and Human Services. *Preventing Tobacco Use Among Youth and Young Adults: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2012.
4. Brownson RC, Koffman DM, Novotny TE, Hughes RG, Eriksen MP. Environmental and policy interventions to control tobacco use and prevent cardiovascular disease. *Health Education Quarterly* 1995; 22(4):478-98.
5. Levy DT. The effects of tobacco control policies on smoking rates: a tobacco control scorecard. *Journal of Public Health Management and Practice* 2004;10(4):338-53.
6. Wakefield MA, Chaloupka FJ, Kaufman NJ, Orleans CT, Barker DC, Ruel EE. Effect of restrictions on smoking at home, at school, and in public places in teenage smoking: cross sectional study. *British Medical Journal* 2000;321:310-311.
7. Charlton A, While D. Smoking prevalence among 16-19 year olds related to staff and student smoking policies in sixth forms and further education. *Health Education Journal* 1994;53:191-215.
8. Pentz MA, Brannon BR, Carlin VL, Barrett EJ, MacKinnon DP, Flay BR. The power of policy: the relationship of smoking policy to adolescent smoking. *American Journal of Public Health* 1989; 79:857-62.
9. U.S. Department of Health and Human Services. *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and

Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2006.

10. U.S. Department of Health and Human Services. *E-Cigarette Use Among Youth and Young Adults: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2016.
-

NUTRITION-RELATED POLICIES AND PRACTICES

QUESTIONS:

28. When foods or beverages are offered at school celebrations, how often are fruits or non-fried vegetables offered?
- (a) Foods or beverages are not offered at school celebrations... (b) Never... (c) Rarely... (d) Sometimes... (e) Always or almost always
29. Can students purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar?
30. Can students purchase each of the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar?
- (a) Chocolate candy... (b) Other kinds of candy... (c) Salty snacks that are not low in fat (e.g., regular potato chips)... (d) Low sodium or “no added salt” pretzels, crackers, or chips... (e) Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat (f) Ice cream or frozen yogurt that is not low in fat... (g) % or whole milk (plain or flavored) (h) Nonfat or 1% (low-fat) milk (plain)... (i) Water ices or frozen slushes that do not contain juice... (j) Soda pop or fruit drinks that are not 100% juice... (k) Sports drinks (e.g., Gatorade)... (l) Energy drinks (e.g., Red Bull, Monster)... (m) Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)... (n) Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)... (o) 100% fruit or vegetable juice (p) Foods or beverages containing caffeine... (q) Fruits (not fruit juice)... (r) Non-fried vegetables (not vegetable juice)

RATIONALE:

These questions address the extent to which schools are making more nutritious foods available to students and not offering less nutritious foods and beverages. Many schools sell foods and beverages in vending machines, school stores, snack bars, and canteens.^{1,2} These foods and beverages, called competitive foods because they compete with school meals as a source of nutrition for students, historically have been relatively low in nutrient density and relatively high in fat, added sugars, and calories.³⁻⁵ However, in 2014, the United States Department of Agriculture required the Smart Snacks in Schools nutrition standards for competitive foods sold during the school day to help ensure that foods and beverages sold outside of the school meal programs are consistent with national dietary recommendations.⁶ Additionally, all local school wellness policies must include nutrition standards for foods and beverages that are made available to students during the schools day (e.g., in classroom parties, school celebrations, other foods given as incentives).⁷ Schools can provide an environment that is conducive to healthful eating behaviors by ensuring that that all foods sold during the schools day, including those in school stores, snack bars, and vending machines, meet the Smart Snack Standards, and that healthful foods (e.g., fruits and vegetables) are available when foods and beverages are offered during school celebrations.⁸⁻¹¹

Questions 29 and 30 provide data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: *Improving Student Health and Academic Achievement Through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools (DP18-1801 Healthy Schools)*.

REFERENCES:

1. U.S. Department of Agriculture, Food and Nutrition Service, Office of Policy Support. *School Nutrition and Meal Cost Study, Final Report Volume 1: School Meal Program Operations and School Nutrition Environments*. Alexandria, VA: April 2019.
2. Centers for Disease Control and Prevention. *Results from the School Health Policies and Practices Study 2014*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention; 2015.
3. Institute of Medicine. *Nutrition Standards for Foods in Schools: Leading the Way Toward Healthier Youth*. Washington, DC: Institute of Medicine of the National Academies; 2007.
4. Brener ND, Kann L, O'Toole TP, Wechsler H, Kimmons J. Competitive foods and beverages available for purchase in secondary schools – selected sites, United States, 2006. *Morbidity and Mortality Weekly Report* 2008;57(34):935-938.
5. Fox MK, Gordon A, Nogales R, Wilson A. Availability and consumption of competitive foods in US public schools. *Journal of the American Dietetic Association* 2009;109:S57-S66.
6. Food and Nutrition Service, U.S. Department of Agriculture. National School Lunch Program and School Breakfast Program: nutrition standards for all foods sold in school as required by the Healthy, Hunger-Free Kids Act of 2010, Final Rule. *Federal Register* 2013; 78(125):39068-39919. Available at: <https://www.gpo.gov/fdsys/pkg/FR-2013-06-28/pdf/2013-15249.pdf>.
7. Food and Nutrition Service, U.S. Department of Agriculture. Local school wellness policy implementation under the Healthy, Hunger-Free Kids Act of 2010. Final Rule. *Federal Register* 2016; 81(146):50151-50170.
8. Institute of Medicine. *Accelerating Progress in Obesity Prevention: Solving the Weight of the Nation*. Washington, D.C.: The National Academies Press, 2013.
9. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(No. RR-5).
10. Hayes D, Contento IR, Weekly C. Position of the American Dietetic Association, School Nutrition Association, and Society for Nutrition Education: comprehensive school nutrition services. *Journal of the Academy of Nutrition and Dietetics* 2018;118:913-919.

11. Centers for Disease Control and Prevention. *Comprehensive framework for addressing the school nutrition environment and services*. Atlanta, GA: Centers for Disease Control and Prevention; 2016. Available at: https://www.cdc.gov/healthyschools/nutrition/pdf/School_Nutrition_Framework_508tagged.pdf
-

QUESTION:

31. During this school year, has your school done any of the following?
- (a) Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages...
 - (b) Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating...
 - (c) Provided information to students or families on the nutrition and caloric content of foods available...
 - (d) Conducted taste tests to determine food preferences for nutritious items...
 - (e) Served locally or regionally grown foods in the cafeteria or classrooms...
 - (f) Planted a school food or vegetable garden...
 - (g) Placed fruits and vegetables near the cafeteria cashier, where they are easy to access...
 - (h) Used attractive displays for fruits and vegetables in the cafeteria...
 - (i) Offered a self-serve salad bar to students...
 - (j) Encouraged students to drink plain water...
 - (k) Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance...
 - (l) Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes

RATIONALE:

This question addresses the variety of methods schools can use to promote healthy eating. Students' food choices are influenced by the total food environment. The simple availability of fruits and vegetables may not be sufficient to prompt the choice of these items when items high in fat and/or added sugar are also available.^{1,2} Schools should employ effective or promising strategies to promote healthy eating, such as pricing strategies,^{3,4} obtaining input from students and parents,⁵ providing nutrition information,⁶ conducting taste tests,⁶ using the cafeteria as a learning laboratory,⁶ implementing school gardens,⁷ and serving locally or regionally grown foods in the cafeteria or classrooms.⁸ Additional promising strategies include placing fruit and vegetables near the cafeteria cashier, where they are easy to access,⁹ using attractive displays for fruits and vegetables in the cafeteria,⁹ offering a self-serve salad bar to students,^{10,11} and encouraging students to drink plain water.¹²⁻¹⁵ Additionally, schools can implement practices that limit access to less healthful foods and beverages including prohibiting school staff from giving students food or food coupons as a reward for good behavior or good academic performance^{14,15} and prohibiting less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes.^{14,16}

REFERENCES:

1. Kubik MY, Lytle LA, Hannan PJ, Perry CL, Story M. The association of the school food environment with dietary behaviors of young adolescents. *American Journal of Public Health* 2003;93:1168-1173.
2. Cullen KW, Eagan J, Baranowski T, Owens E, deMoor C. Effect of a la carte and snack bar foods at school on children's lunchtime intake of fruits and vegetables. *Journal of the American Dietetic Association* 2000;100:1482-1486.
3. French SA, Story M, Jeffery RW, Snyder P, Eisenberg M, Sidebottom A. Pricing strategy to promote fruit and vegetable purchase in high school cafeterias. *Journal of the American Dietetic Association* 1997;97:1008-1010.
4. French SA, Jeffery RW, Story M, Hannan P, Snyder MP. Pricing and promotion effects on lowfat vending snack purchases: the CHIPS study. *American Journal of Public Health* 2001;91:112-117.
5. Food and Nutrition Service, U.S. Department of Agriculture, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services, and U.S. Department of Education. *Making It Happen: School Nutrition Success Stories*. Alexandria, VA: U.S. Department of Agriculture; 2005.
6. Hayes D, Contento IR, Weekly C. Position of the American Dietetic Association, School Nutrition Association, and Society for Nutrition Education: comprehensive school nutrition services. *Journal of the Academy of Nutrition and Dietetics* 2018;118:913-919.
7. Savoie-Roskos MR, Wengreen H, Durward C. Increasing fruit and vegetable intake among children and youth through gardening-based interventions: a systematic review. *Journal of the Academy of Nutrition and Dietetics* 2017;11(2):240-50.
8. Joshi A, Misako Azuma A, Feenstra G. Do farm-to-school programs make a difference? Findings and future research needs. *Journal of Hunger and Environmental Nutrition* 2008; 3:2-3.
9. Just DR, Mancino L, Wansink B. *Could Behavioral Economics Help Improve Diet Quality for Nutrition Assistance Program Participants?* Economic Research Report no. 43. Washington, DC: U.S. Department of Agriculture, Economic Research Service; 2007.
10. Slusser WM, Cumberland WG, Browdy BL, Lange L, Neumann C. A school salad bar increases frequency of fruit and vegetable consumption among children living in low-income households. *Public Health Nutrition* 2007; 10(12):1490-1496.
11. Adams MA, Pelletier RL, Zive MM, Sallis JF. Salad bars and fruit and vegetable consumption in elementary schools: a plate waste study. *Journal of the American Dietetic Association* 2005; 105(11):1789-1792.

12. American Academy of Pediatrics. Committee on Nutrition and the Council of Sports Medicine and Fitness. Clinical Report-Sports drinks and energy drinks for children and adolescents: Are they appropriate? *Pediatrics* 2011; 127:1182-1189.
 13. Patel AI, Bogart LM, Elliott MN, Hawes-Dawson J, Lamb S, Uyeda KE. Increasing the availability and consumption of drinking water in schools: a pilot study. *Preventing Chronic Disease* [serial online] 2011; 8(3):A60.
 14. Institute of Medicine. *Nutrition Standards for Foods in Schools: Leading the Way Toward Healthier Youth*. Washington, DC: Institute of Medicine of the National Academies, 2007.
 15. U.S. Department of Health and Human Services and U.S. Department of Agriculture. *2015–2020 Dietary Guidelines for Americans*. 8th edition. Washington, DC: U.S. Department of Health and Human Services and U.S. Department of Agriculture; 2015. Available at <http://health.gov/dietaryguidelines/2015/guidelines/>.
 16. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(RR05):1–76.
-

QUESTION:

32. Does your school prohibit advertisements for candy, fast food restaurants, or soft drinks in each of the following locations?

RATIONALE:

This question addresses prohibiting marketing of less nutritious foods to students while at school or at school-sponsored events. Marketing and promotion of foods and beverages in schools occur in many forms including posters, coupons, commercials during educational programming (e.g., Channel One television), and the sale of branded foods and beverages.¹ In 2014, 36.9% of schools held fundraiser nights at fast food restaurants where a portion of the sales made on a particular night benefit the school, 22.2% allowed soft drink companies to advertise soft drinks on vending machines, and 5.8% allowed advertisements for junk food or fast food restaurants on school property.² Exposure to advertisements may have adverse effects on children's eating habits.³ Food advertisements have been found to trigger food purchase by parents, have effects on children's product and brand preferences, and have an effect on consumption behavior.⁴ Further, younger children do not generally understand the difference between information and advertising,⁵ such that children may interpret school-based advertising to mean that teachers or other adults endorse the use of the advertised product. More than \$149 million is spent on marketing of foods and beverages in schools annually, with carbonated beverages and noncarbonated beverages making up the majority of in-school marketing expenditures.¹ Given that schools provide a captive audience of students, the Institute of Medicine report on food

marketing to children and youth recommends that schools should promote healthful diets for children and youth in all aspects of the school environment (e.g., commercial sponsorships, meals and snacks, curriculum).⁶ School districts are now required to include language in the local school wellness policy that allows marketing and advertising of only those foods and beverages that meet the Smart Snacks in School nutrition standards.^{7,8}

REFERENCES:

1. Federal Trade Commission. *Marketing Food to Children and Adolescents: Follow-Up Report*. Washington, DC: Federal Trade Commission; 2012.
 2. Centers for Disease Control and Prevention. *Results from the School Health Policies and Practices Study 2014*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention; 2015, pp. 60-74, 142-144.
 3. Horgen KB, Choate M, Brownell KK. Television and food advertising: targeting children in a toxic environment. In: Sinder DG, Singer JL, eds. *Handbook of Children and the Media*. Thousand Oaks, CA: Sage Publications; 2001, pp. 447-461.
 4. Hastings G, Stead M, McDermott L, Forsyth A, MacKintosh AM, Rayner M, Godfrey C, Caraher M, Angus K. *Review of Research on the Effects of Food Promotion to Children*. Glasgow, UK: Center for Social Marketing, University of Strathclyde; 2003. Available at: <https://www.fabresearch.org/viewItem.php?id=11053>.
 5. Wilcox BL, Kunkel D, Cantor J, Dowrick P, Linn S, Palmer E. *Report of the APA Task Force on Advertising and Children*. Washington, DC: American Psychological Association; 2004.
 6. Institute of Medicine, Committee on Food Marketing and the Diets of Children and Youth. *Food Marketing to Children and Youth: Threat or Opportunity?* Washington, DC: The National Academies Press; 2006.
 7. Food and Nutrition Service, U.S. Department of Agriculture. Local school wellness policy implementation under the Healthy, Hunger-Free Kids Act of 2010. Final Rule. *Federal Register* 2016; 81(146):50151-50170.
 8. Food and Nutrition Service, U.S. Department of Agriculture. National School Lunch Program and School Breakfast Program: nutrition standards for all foods sold in school as required by the Healthy, Hunger-Free Kids Act of 2010, Final Rule. *Federal Register* 2013; 78(125):39068-39919. Available at: <https://www.gpo.gov/fdsys/pkg/FR-2013-06-28/pdf/2013-15249.pdf>.
-

QUESTIONS:

33. Are students permitted to have a drinking water bottle with them during the school day?
34. Does your school offer a free source of drinking water in the following locations?

RATIONALE:

These questions address the importance of drinking water and access to free drinking water throughout the school day and during school meals. The United States Department of Agriculture requires that schools participating in the National School Lunch Program and School Breakfast Program make drinking water available free of charge where school meals are served.^{1,2} However, schools should ensure that students have access to safe, free, and well-maintained drinking water fountains or dispensers throughout the school day.³ This provides a healthy alternative to sugar-sweetened beverages (SSBs) and can help increase students' overall water consumption and maintain adequate hydration.^{4,5} Adequate hydration is associated with improved cognitive function in children and adolescents which is important for learning.⁶⁻⁹ Drinking tap water instead of SSBs can help protect against tooth decay, reduce calorie intake, and prevent childhood obesity.^{5,10,11,12}

Bottled water may not be affordable for all students. In addition, free drinking water is not always readily accessible or available in schools. Barriers may include concerns (real and/or perceived) about the safety and quality of drinking water, students' preference for beverages other than tap water, the costs of improving drinking water access and quality, and a lack of sound policies promoting the availability of drinking water.^{13,14} School districts and schools can encourage students to drink tap water by including provisions in their local wellness policies that emphasize safe, free drinking water as an essential component of student health and wellness.¹³

REFERENCES:

1. Healthy, Hunger-Free Kids Act of 2010. Public Law 111-296, 124 Stat 3183, Sec 203.
2. National School Lunch Program and School Breakfast Program: nutrition standards for all foods sold in school as required by the Healthy, Hunger-Free Kids Act of 2010, Final Rule. *Federal Register* 2013;78(125):39068-39919. Available at: <https://www.gpo.gov/fdsys/pkg/FR-2013-06-28/pdf/2013-15249.pdf>.
3. Institute of Medicine, Committee on Nutrition Standards for Foods in Schools. *Nutrition Standards for Foods in Schools: Leading the Way Toward Healthier Youth*. Washington, DC: The National Academies Press; 2007.
4. Kaushik A, Mullee MA, Bryant TN, Hill CM. A study of the association between children's access to drinking water in primary schools and their fluid intake: can water be 'cool' in school? *Child: Care, Health & Development* 2007;33:409-415.

5. Muckelbauer R, Libuda L, Clausen K, Toschke AM, Reinehr T, Kersting M. Promotion and provision of drinking water in schools for overweight prevention: randomized, controlled cluster trial. *Pediatrics* 2009;123:e661-36676.
 6. Kempton MJ, Ettinger U, Foster R, Williams SCR, Calvert GA, Hampshire A, Zelaya FO, O’Gorman RL, McMorris T, Owen AM, Smith MS. Dehydration affects brain structure and function in healthy adolescents. *Human Brain Mapping* 2011;32:71-79.
 7. Edmonds CJ, Jeffes B. Does having a drink help you think? 6-7-year-old children show improvements in cognitive performance from baseline to test after having a drink of water. *Appetite* 2009;53:469-472.
 8. Edmonds CJ, Burford D. Should children drink more water? The effects of drinking water on cognition in children. *Appetite* 2009;52:776-779.
 9. Benton D, Burgess N. The effect of the consumption of water on the memory and attention of children. *Appetite* 2009;53:143-146.
 10. US Department of Health and Human Services. *Oral Health in America: A Report of the Surgeon General*. Rockville, MD: National Institute of Dental and Craniofacial Research, National Institutes of Health; 2000.
 10. Dietary Guidelines Advisory Committee. *Scientific Report of the 2015 Dietary Guidelines Advisory Committee, Advisory Report to the Secretary of Health and Human Services and the Secretary of Agriculture*. Washington, DC: U.S. Department of Health and Human Services; 2015.
 12. Wang Y C, Ludwig DS, Sonneville K, Gortmaker SL. Impact of change in sweetened caloric beverage consumption on energy intake among children and adolescents. *Archives of Pediatric & Adolescent Medicine* 2009;163(4):336-343.
 13. National Policy & Legal Analysis Network to Prevent Childhood Obesity (NPLAN). *Model Wellness Policy Language for Water Access in Schools*. Oakland, CA: Public Health Law and Policy; 2010. Available at: <http://changelabsolutions.org/publications/wellness-policy-water>.
 14. Patel AI, Bogart LM, Klein DJ, Uyeda KE, Hawes-Dawson J, Schuster MA. Middle school student attitudes about school drinking fountains and water intake. *Academic Pediatrics* 2014;14:471-477.
-

HEALTH SERVICES

QUESTIONS:

35. Is there a full-time registered nurse who provides health services to students at your school? (A full-time nurse means that a nurse is at the school during all school hours, 5 days per week.)
36. Is there a part-time registered nurse who provides health services to students at your school? (A part-time nurse means that a nurse is at the school less than 5 days a week, less than all school hours, or both.)

RATIONALE:

These questions examine the degree to which schools are being staffed by school nurses. Because a school nurse is an essential component of a healthy school, *Healthy People 2020* Educational and Community-Based Program objective-5 (ECBP-5) calls to increase the proportion of the Nation's elementary, middle, and senior high schools that have a full-time registered school nurse-to-student ratio of at least 1:750.¹ School nurses, whether part- or full-time, can link students and schools to physician and community resources in addition to providing services to students in schools.

REFERENCE:

1. U.S. Department of Health and Human Services. *Healthy People 2020*. Office of Disease Prevention and Health Promotion. November 2010. Available at: <https://www.healthypeople.gov/2020/topics-objectives/topic/educational-and-community-based-programs/objectives>.

QUESTION:

37. Does your school have a school-based health center that offers health services to students? (School-based health centers are places on school campus where enrolled students can receive primary care, including diagnostic and treatment services. These services are usually provided by a nurse practitioner or physician's assistant.)

RATIONALE:

This question assesses if schools have a school-based health center (SBHC). SBHCs provide a range of age-appropriate health services to students including screening, early intervention, risk reduction, counseling, and treatment for both mental and physical conditions.¹ Schools typically partner with community health organizations to provide these services.¹ The type and range of services provided by the SBHC depends on community needs and resources.¹ SBHCs are well suited to provide care for youth without some of the associated burdens of the traditional health

care model.² There is evidence that SBHC usage may not only improve the health of children and adolescents, but also may reduce health care costs and improve school outcomes.²

REFERENCES:

1. U.S. Department of Health and Human Services, Health Resources and Services Administration. *School-based health centers*. Available at: <http://www.hrsa.gov/ourstories/schoolhealthcenters/>.
 2. American Academy of Pediatrics Council on School Health. School-based health centers and pediatric practice. [Policy Statement]. *Pediatrics* 2012;129(2):387-393.
-

QUESTIONS:

38. Does your school provide the following services to students? (Mark yes or no for each service.)

(a) HIV testing... (b) HIV treatment (ongoing medical care for persons living with HIV)... (c) STD testing... (d) STD treatment... (e) Pregnancy testing... (f) Provision of condoms... (g) Provision of condom-compatible lubricants (i.e., water- or silicone-based)... (h) Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])... (i) Prenatal care... (j) Human papillomavirus (HPV) vaccine administration... (k) Assessment for alcohol or other drug use, abuse, or dependency... (l) Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)... (m) Stock rescue or “as needed” medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction) (n) Case management for students with chronic health conditions (e.g., asthma, diabetes)
39. Does your school provide students with referrals to any organizations or health care professionals not on school property for the following services?

(a) HIV testing... (b) HIV treatment (ongoing medical care for persons living with HIV)... (c) nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)... (d) PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)... (e) STD testing... (f) STD treatment... (g) Pregnancy testing... (h) Provision of condoms... (i) Provision of condom-compatible lubricants (i.e., water- or silicone-based)... (j) Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])... (k) Prenatal care... (l) Human papillomavirus (HPV) vaccine administration... (m) Alcohol or other drug abuse treatment

RATIONALE:

These questions address students' access to sexual health services either provided on-site or through referrals to health care professionals not on school property. Many adolescents engage in sexual risk behaviors that can result in unintended health outcomes. In 2017, among U.S. high school students, 40% reported ever having had sex. Of those sexually active in the previous 3 months, 46% did not use a condom.¹ In 2015, young people aged 13–24 accounted for 22% of all new HIV infections in the United States.² Of the 19.7 million incident sexually transmitted infections in 2008, nearly 50% (9.8 million) were acquired by young women and men aged 15 to 24 years.³ Several official and national guidelines for adolescent preventive care specifically include recommendations for the provision of sexual health services for adolescents.⁴⁻⁷ Schools in the United States have a critical role to play in facilitating delivery of such needed preventive services for adolescents; schools have direct daily contact with 32.5 million students ages 10–17.⁸ Many U.S. schools already have health care service infrastructure in place and can play an important role in providing adolescents with access to sexual health services.

Chronic health conditions such as seizure disorders, diabetes, asthma, high blood pressure/hypertension, food allergies, or poor oral health conditions may affect students' physical and emotional well-being, school attendance, academic performance, and social participation. Given the clustering of chronic health conditions, many students face the added burden of living with two conditions. The opportunity for academic success is increased when communities, schools, families, and students work together to meet the needs of students with chronic health conditions and provide safe and supportive learning environments.⁹

These questions provide information on how students with chronic health conditions are being managed during the school day, including medication administration and availability of stock medications for students who have NOT been identified as having a condition (e.g., asthma or allergies), or for students with a known condition who do not have or are unable to administer their own medication. Case management, and more broadly care coordination, refers to the oversight and alignment of multiple evidence-based components and interventions that support the health and well-being of students with chronic health conditions. This team-based model requires consistent engagement and communication among the student, parents/caregivers, community-based providers, and others who interact directly with the student with a goal to manage the chronic health conditions so students can remain present at school and ready to learn.¹⁰

Questions 38a,c,e,f,g,h,j and 39a,c,e,f,g,h,j provide data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-PS18-1807: Promoting Adolescent Health Through School-Based HIV Prevention.

Question 38n provides data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement Through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools (DP18-1801 Healthy Schools).

REFERENCES:

1. Centers for Disease Control and Prevention. Youth risk behavior surveillance—United States, 2017. *MMWR Surveillance Summaries* 2018;67(No. SS-8).
 2. Centers for Disease Control and Prevention. *Diagnoses of HIV Infection in the United States and Dependent Areas, 2015*. HIV Surveillance Report 2015, vol. 27. Atlanta, GA: Centers for Disease Control and Prevention; 2016. Available at: <https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-2015-vol-27.pdf>.
 3. Satterwhite CL, Torrone E, Meites E, Dunn EF, Mahajan R, Ocfemia MC, Su J, Xu F, Weinstock H. Sexually transmitted infections among U.S. women and men: prevalence and incidence estimates, 2008. *Sexually Transmitted Diseases* 2013;40(3):187-193.
 4. U.S. Public Health Service. *Clinician's Handbook of Preventive Services: Put Prevention into Practice*. 2nd edition. Alexandria, VA: International Medical Publishing; 1998.
 5. Elster AB, Kuznets NJ, eds. *AMA Guidelines for Adolescent Preventive Services (GAPS): Recommendations and Rationale*. Baltimore, MD: Williams & Wilkins; 1994.
 6. Green M, Palfrey JS, eds. *Bright Futures: Guidelines for Health Supervision of Infants, Children and Adolescents*. 2nd edition. Arlington, VA: National Center for Education in Maternal and Child Health; 2000.
 7. U.S. Preventive Services Task Force. *Guide to Clinical Preventive Services*. 2nd edition. Alexandria, VA: International Medical Publishing; 1996.
 8. U.S. Census Bureau. School Enrollment. 2011-2015 American Community Survey 5-Year Estimates. Available at: <https://factfinder.census.gov/faces/tableservices/jsf/pages/productview.xhtml?src=bkmk>
 9. Centers for Disease Control and Prevention. *Research Brief: Chronic Health Conditions and Academic Achievement*. Atlanta, GA: Centers for Disease Control and Prevention; 2017. Available at: https://www.cdc.gov/healthyschools/chronic_conditions/pdfs/2017_02_15-CHC-and-Academic-Achievement_Final_508.pdf.
 10. National Association of School Nurses. *Translating Strategies into Actions to Improve Care Coordination for Students with Chronic Health Conditions*; 2019. https://higherlogicdownload.s3.amazonaws.com/NASN/3870c72d-fff9-4ed7-833f-215de278d256/UploadedImages/PDFs/Advocacy/White_Pape_NASN_Care_Coordination.pdf
-

QUESTIONS:

40. Does your school have a protocol that ensures students with a chronic health condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible?
41. Does your school routinely use school records to identify and track students with a current diagnosis of the following chronic health conditions? School records might include student emergency cards, medication records, health room visit information, emergency care and daily management plans, physical exam forms, or parent notes.

RATIONALE:

These questions address how schools can help support students with chronic health conditions. The first question acknowledges the role schools can play in ensuring that students with chronic health conditions have access to appropriate clinical care and disease management through a primary care provider and medical home. The medical home is increasingly accepted as the standard for provision of high-quality comprehensive health care. Insurance provides an important tool for reducing disparities by increasing access to medical homes. School health personnel can establish systematic protocols and processes for determining the health insurance status of students with chronic conditions and if necessary, assist parents and families in enrolling eligible students into private, state, or federally funded insurance programs.^{1,2}

The second question examines the type of information schools use to identify and track students with a known chronic health condition, such as asthma, food allergies, diabetes, obesity, high blood pressure/hypertension, seizure disorders, or poor oral health. Collecting this information for students with chronic conditions can also help assess the potential need for additional case management of these students. Assessment of successful school-based chronic disease management programs, such as school-based asthma management programs, reveal that this type of tracking and case management can contribute to improved medical management, such as symptom management, of students with chronic conditions.²

REFERENCES:

1. Strickland BB, Jones JR, Ghandour RM, Kogan MD, Newacheck PW. The medical home: health care access and impact for children and youth in the United States. *Pediatrics* 2011 Apr 1;127(4):604.
2. Leroy Z, Wallin R, Lee S. The role of school health services in addressing the needs of students with chronic health conditions: a systematic review. *The Journal of School Nursing* 2017;33(1):64-72.

QUESTION:

42. Does your school provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have any of the following chronic conditions? Include referrals to school-based health centers, even if they are located on school property.

RATIONALE:

This question addresses referrals to community providers for students with chronic conditions. Community resources can address health, mental health, and social service gaps that the school might not have the resources or expertise to address adequately. School health personnel can establish systematic processes and criteria for referring students to external primary health care providers. Students with signs of chronic health conditions, such as asthma, food allergies, diabetes, seizure disorders, or hypertension/high blood pressure should be referred to a primary health care provider for diagnosis, and, if needed, establishment of management or treatment plans. Health, mental health, and social services staff members play an important role in developing and marketing a referral system for students and families. The recipients of these referrals could include school-based health centers, local health departments, outside health care providers (e.g., private physicians, hospitals, psychologists and other mental health workers), community health clinics, and managed care organizations.¹⁻⁵

REFERENCES:

1. Centers for Disease Control and Prevention. *Research Brief: Chronic Health Conditions and Academic Achievement*. Atlanta, GA: Centers for Disease Control and Prevention; 2017. Available at: https://www.cdc.gov/healthyschools/chronic_conditions/pdfs/2017_02_15-CHC-and-Academic-Achievement_Final_508.pdf.
2. American Academy of Pediatrics, Council on School Health. *School Health Policy & Practice*. 7th edition. Gereige RS, Zenni EA, eds. Elk Grove Village, IL: American Academy of Pediatrics; 2016.
3. Holmes BW, Sheetz A, Allison M, Ancona R, Attisha E, Beers N, De Pinto C, Gorski P, Kjolhede C, Lerner M, Weiss-Harrison A, Young T. Role of the school nurse in providing school health services. *Pediatrics* 2016;137(6):e20160852.
4. National Association of School Nurses. *The complementary roles of the school nurse and school based health centers* (Position Statement). Silver Spring, MD: National Association of School Nurses; 2015. Available at: <https://www.nasn.org/nasn/advocacy/professional-practice-documents/position-statements/ps-sbhc>.
5. Centers for Disease Control and Prevention. School health guidelines to promote healthy eating and physical activity. *Morbidity and Mortality Weekly Report* 2011;60(5):2011.

QUESTIONS:

43. Which of the following best describes your school's practices regarding parental consent and notification when sexual or reproductive health services, such as STD testing or pregnancy testing, are provided by your school?
- (a) This school does not provide any sexual or reproductive health services... (b) Parental consent is required before any sexual or reproductive health services are provided... (c) Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request... (d) Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided... (e) Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided... (f) Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided
44. Which of the following best describes your school's practices regarding parental consent and notification when sexual or reproductive health services, such as STD testing or pregnancy testing, are referred by your school?
- (a) This school does not refer any sexual or reproductive health services... (b) Parental consent is required before any sexual or reproductive health services are referred... (c) Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request... (d) Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided... (e) Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided... (f) Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided

RATIONALE:

Little is currently known about provider practices in terms of parental notification after minor consent to sensitive services, and misconceptions about state minor consent and confidentiality laws are widespread. Although most states allow minors to consent to health services without parental permission, policies can vary with regard to the type of service and age of the minor seeking that service.¹ The Health Insurance Portability and Accountability Act (HIPAA) protects identifiable health information from being disclosed. The Federal Educational Rights and Privacy Act (FERPA) also applies to health services that are a part of a school record. Under FERPA, parents may obtain access to and control disclosure of student health records.² Exceptions could apply under state laws that govern mandated reporting. It is therefore crucial that schools and districts ensure that staff providing health services or making referrals understand all relevant laws and policies. Further, strict parental consent laws can result in fewer adolescents seeking out sexual health services.³⁻⁵

REFERENCES:

1. Guttmacher Institute. State Policies in Brief as of May 1, 2017: An Overview of Minors' Consent Law; 2017. Available at: <https://www.guttmacher.org/state-policy/explore/overview-minors-consent-law>.
 2. U.S. Department of Health and Human Services and U.S. Department of Education. Joint Guidance on the Application of the Family Educational Rights and Privacy Act (FERPA) and the Health Insurance Portability and Accountability Act of 1996 (HIPAA) To Student Health Records; 2008. Available at: <https://www2.ed.gov/policy/gen/guid/fpco/doc/ferpa-hipaa-guidance.pdf>.
 3. Brewin D, Koren A, Morgan B, Shipley S, Hardy RL. Behind closed doors: school nurses and sexual education. *Journal of School Nursing* 2014; 30:31-41.
 4. Reddy DM, Fleming R, Swain C. Effect of mandatory parental notification on adolescent girls' use of sexual health care services. *JAMA* 2002; 288:710-714.
 5. Goodwin KD, Taylor MM, Brown EC, Winscott M, Scanlon M, Hodge J, Mickey T, England B. Protecting adolescents' right to seek treatment for sexually transmitted diseases without parental consent: the Arizona experience with Senate Bill 1309. *Public Health Reports* 2012; 127:253-258.
-

QUESTION:

45. During the past two years, did any staff in your school receive professional development on each of the following topics?

(a) Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies...(b) Sexual health services that adolescents should receive...(c) Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services...(d) Importance of maintaining student confidentiality for sexual health services...(e) How to create or use a student referral guide for sexual health services...(f) How to make successful referrals of students to sexual health services...(g) Best practices for adolescent sexual health services provision, such as making services youth-friendly...(h) Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students

RATIONALE:

Professional development (PD) provides an excellent opportunity to ensure that teachers and school staff continually expand their knowledge and skills to implement school health services activities and are up to date on laws, policies and best practices to do this. Evaluation findings from previous CDC programs have suggested that school staff benefit from training to increase their self-efficacy and make them more comfortable with providing or referring students to available school health services.¹ PD trainings have effectively changed the practices and self-efficacy of teachers and other non-health-related staff about addressing their students' sexuality and have effectively improved clinical services in a variety of settings, including SBHCs.² PD trainings are also typically a staple component of effective quality improvement programs and interventions for health clinic and school health staff.³

This item provides data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-PS18-1807: Promoting Adolescent Health Through School-Based HIV Prevention.

REFERENCES:

1. Rasberry CN, Liddon N, Adkins SH, Lesesne CA, Hebert A, Kroupa E, Rose ID, Morris E. The importance of school staff referrals and follow-up in connecting high school students to HIV and STD testing. *Journal of School Nursing* 2017;33(2):143-153.
2. Riley M, Patterson V, Lane JC, Won KM, Ranalli L. The adolescent champion model: Primary care becomes adolescent-centered via targeted quality improvement. *Journal of Pediatrics* 2018;193:229-236.
3. Centers for Disease Control and Prevention. *Project Connect Implementation Guide*. 2014. Available at: <https://www.cdc.gov/std/projects/connect/guide.htm>.

FAMILY AND COMMUNITY INVOLVEMENT

QUESTIONS:

46. During this school year, has your school done any of the following activities?
- (a) Provided parents and families with information to support parent-adolescent communication about sex... (b) Provided parents with information to support parent-adolescent communication about topics other than sex... (c) Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)... (d) Provided parents with information to support one-on-one time between adolescents and their health care providers... (e) Provided parents with information about physical education and physical activity programs... (f) Involved parents as school volunteers in the delivery of health education activities and services... (g) Involved parents as school volunteers in physical education or physical activity programs... (h) Linked parents and families to health services and programs in the community... (i) Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)... (j) Provided parents with information about before- or after-school programs available in the community?

RATIONALE:

These questions assess several different ways to involve parents and community members in school-based health activities and programs. Implementing a variety of activities can increase the likelihood of engaging more parents in the health and education of their children in all grade levels.¹ These different ways to engage parents as they relate to school health are supported by CDC's *Parent Engagement: Strategies for Involving Parents in School Health*.²

- 1) *Provide parenting support:* School staff can use seminars, workshops, and digital and print resources to build parents' skills to support the development of positive health attitudes and behaviors among students. Information should be provided on the following two parenting practices: parental monitoring and communication. Research shows that adolescents whose parents use effective monitoring practices are less likely to engage in risk behaviors, such as having sex at an early age, smoking cigarettes, drinking alcohol, being physically aggressive, or skipping school.³⁻⁵ Clear communication about sex and parental expectations is also important. Research shows that parent communication with their adolescents is associated with reductions in adolescent sexual risk behavior.⁶ Parenting programs, including those that are school-based, can increase parent-adolescent communication.^{7,8}
- 2) *Provide a variety of volunteer opportunities:* Involving parent members as school volunteers can enrich health and physical education classes, improve the delivery of health services, and help create safe and healthy environments for students.^{1,7}
- 3) *Collaborate with the community:* Schools that work with community groups and organizations can help parents obtain useful information and resources from these groups and organizations and give parents access to community programs, services, and resources.⁸

- 4) *Communicate with parents*: Research shows that two-way communication (school-to-home and home-to-school) can help ensure parents receive educational materials about different health topics, learn how they can be involved in school health activities, receive feedback and recommendations about health activities, and stay in constant communication with teachers, administrators, counselors, and other staff about their adolescent's health.¹

Questions 46a, 46b, 46c, and 46d provide data for a school health specific performance measure. This measure is required for grantees receiving funding under CDC-RFA-PS18-1807: Promoting Adolescent Health Through School-Based HIV Prevention.

Questions 46e and 46g provide data for a school health specific performance measure. This measure is required for grantees receiving funding under CDC-RFA-DP18-1801: Improving Student Health and Academic Achievement Through Nutrition, Physical Activity and the Management of Chronic Conditions in Schools (DP18-1801 Healthy Schools).

REFERENCES:

1. Epstein JL. *School, Family, and Community Partnerships: Preparing Educators and Improving Schools*. 2nd edition. Boulder, CO: Westview Press; 2011.
2. Centers for Disease Control and Prevention. *Parent Engagement: Strategies for Involving Parents in School Health*. Atlanta, GA: U.S. Department of Health and Human Services; 2012.
3. Li X, Feigelman S, Stanton B. Perceived parental monitoring and health risk behaviors among urban low-income African-American children and adolescents. *Journal of Adolescent Health* 2000; 27(1):43–48.
4. Tobler AL, Komro KA. Trajectories of parental monitoring and communication and effects on drug use among urban young adolescents. *Journal of Adolescent Health* 2010; 46(6):560-568.
5. Dittus PJ, Michael SL, Becasen JS, Gloppen KM, McCarthy K, Guilamo-Ramos V. Parental monitoring and its association with adolescent sexual risk behaviors: A meta-analysis. *Pediatrics* 2015;136(6):e1587-1599.
6. Widman L, Choukas-Bradley S, Noar SM, Nesi J, Garrett K. Parent-adolescent sexual communication and adolescent safer sex behavior: A meta-analysis. *JAMA Pediatrics* 2016; 170(1):52-61.
7. Akers AY, Holland CL, Bost J. Interventions to improve parental communication about se: A systematic review. *Pediatrics* 2011;127(3):494-510.
8. Sutton MY, Lasswell SM, Lanier Y, Miller KS. Impact of parent-child communication interventions on sex behaviors and cognitive outcomes for black/African-American and

QUESTIONS:

47. Currently, does your school implement any of the following school-based positive youth development programs? (A school-based program is one that is led by the school or school district.)
- (a) Service-learning programs, that is, community service designed to meet specific learning objectives...(b) Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students
48. Currently, does your school connect students to any of the following community-based positive youth development programs? (A community-based program is one that is led by a community organization, but to which your school refers students.) Include only community-based programs that are collaborations between your school and the program.)
- (a) Service-learning programs, that is, community service designed to meet specific learning objectives...(b) Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students

RATIONALE:

Positive youth development (PYD) programs strengthen young people's sense of identity; belief in future; self-regulation; self-efficacy; and social, emotional, cognitive, and behavioral competence. These programs also provide youth with networks of supportive adults.¹ Unlike many prevention programs that focus solely on risk behaviors, PYD programs aim to develop and enhance the protective factors available to youth, whether that be their individual assets (i.e., positive characteristics that enable youth to avoid risk) or the resources available to them in their relationships, communities, and schools.² By increasing protective factors rather than focusing on risk behaviors related to a single adverse outcome, PYD programs benefit a wide range of health and academic outcomes. Most salient to DASH, these programs appear to be effective in reducing sexual risk behaviors, HIV, other STDs, and unintended pregnancy.^{1,3} PYD programs also have the potential to prevent substance use and violence behaviors that contribute to HIV and other STD risk.^{4,5} Finally, PYD programs are associated with improvements in academic performance, which strengthens the rationale for school-based implementation.⁶

Two types of PYD programs of interest to DASH are service-learning and mentoring programs. Service learning programs deliver "a teaching and learning strategy that connects academic curricula to community problem-solving."⁷ Service learning is distinct from volunteer work and community service in that it is linked to school curricula.⁸ The National Youth Leadership

Council outlines standards for effective service learning programs, such as service that meaningfully engages youth, links to curriculum, encourages reflection and critical thinking, promotes diversity, elevates youth voices, and promotes community partnerships.⁹ Mentoring programs are those that promote a formal relationship between a mentor and a mentee, wherein the mentor can both model positive behaviors and provide “guidance, support, and skills through regular meetings to overcome health, social, and economic challenges.”¹⁰ Mentoring programs can be group-based or one-on-one, although group-based mentoring programs have shown more effectiveness in reducing sexual risk.¹⁰

These items provide data for a school health specific performance measure. These measures are required for grantees receiving funding under CDC-RFA-PS18-1807: Promoting Adolescent Health Through School-Based HIV Prevention.

REFERENCES:

1. Gavin LE, Catalano RF, David-Ferdon C, Gloppen KM, Markham CM. A review of positive youth development programs that promote adolescent sexual and reproductive health. *Journal of Adolescent Health* 2010;46(3 Suppl):S75-91.
2. Fergus S, Zimmerman MA. Adolescent resilience: a framework for understanding healthy development in the face of risk. *Annual Review of Public Health* 2005;26:399-419.
3. Shepherd J, Kavanagh J, Picot J, Cooper K, Harden A, Barnett-Page E, Jones J, Clegg A, Hartwell D, Frampton GK, Price A. The effectiveness and cost-effectiveness of behavioural interventions for the prevention of sexually transmitted infections in young people aged 13–19: a systematic review and economic evaluation. In: *NIHR Health Technology Assessment programme: Executive Summaries*. NIHR Journals Library; 2010.
4. Catalano RF, Berglund ML, Ryan JAM, Lonczak HS, Hawkins JD. Positive Youth Development in the United States: Research Findings on Evaluations of Positive Youth Development Programs. *The Annals of the American Academy of Political and Social Science* 2004;591(1):98-124.
5. Bonell C, Hinds K, Dickson K, Thomas J, Fletcher A, Murphy S, Melendez-Torres GJ, Bonell C, Campbell R. What is positive youth development and how might it reduce substance use and violence? A systematic review and synthesis of theoretical literature. *BMC Public Health* 2015;16(1):135.
6. Ciocanel O, Power K, Eriksen A, Gillings K. Effectiveness of positive youth development interventions: A meta-analysis of randomized controlled trials. *Journal of Youth and Adolescence* 2017;46(3):483-504.
7. Youth.gov. Service-Learning. Available at: <https://youth.gov/youth-topics/civic-engagement-and-volunteering/service-learning>

8. Dymond SK, Renzaglia A, Chun E. Elements of high school service learning programs. *Career Development for Exceptional Individuals* 2008;31(1):37-47.
 9. National Youth Leadership Council. *K-12 Service-Learning Standards for Quality Practice*. 2008. Available at: https://cdn.ymaws.com/www.nylc.org/resource/resmgr/resources/lift/standards_document_mar2015up.pdf
 10. Plourde KF, Ippoliti NB, Nanda G, McCarraher DR. Mentoring interventions and the impact of protective assets on the reproductive health of adolescent girls and young women. *Journal of Adolescent Health* 2017;61(2):131-139.
-

QUESTION:

49. During the past two years, have students' families helped develop or implement policies and programs related to school health?

RATIONALE:

This question assesses whether schools have included parents as participants in school decisions, school activities, and/or advocacy activities through the Parent Teacher Association (PTA) or Parent Teacher Organization (PTO), school health council, school action teams to plan special health related events, and/or other school groups and organizations. Studies show that parent engagement in schools, which includes encouraging parents to be part of decision making, is linked to better health and education outcomes, both in adolescence and young adulthood.¹⁻⁶ This specific strategy for involving parents is supported by CDC's *Parent Engagement: Strategies for Involving Parents in School Health*.⁷

REFERENCES:

1. Epstein J, Sheldon S. Present and accounted for: improving student attendance through family and community involvement. *The Journal of Educational Research* 2002; 95(5):308-318.
2. Shackleton N, Jamal F, Viner RM, Dickson K, Patton G, Bonell C. School-based interventions going beyond health education to promote adolescent health: systematic review of reviews. *Journal of Adolescent Health* 2016;58(4):382-396.
3. Fan X, Chen M. Parental involvement and students' academic achievement: a meta-analysis. *Educational Psychology Review* 2001;13(1):1-22.

4. Jeynes WH. The relationship between parental involvement and urban secondary school student academic achievement: a meta-analysis. *Urban Education* 2007;42:82-110.
5. Hawkins JD, Catalano RF, Kosterman R, Abbott R, Hill KG. Preventing adolescent health-risk behaviors by strengthening protection during childhood. *Archives of Pediatrics & Adolescent Medicine* 1999;153:226-234.
6. Hawkins JD, Kosterman R, Catalano RF, Hill KG, Abbott RD. Promoting positive adult functioning through social development intervention in childhood: long-term effects from the Seattle Social Development Project. *Archives of Pediatrics & Adolescent Medicine* 2005;159(1):25-31.
7. Centers for Disease Control and Prevention. *Parent Engagement: Strategies for Involving Parents in School Health*. Atlanta, GA: U.S. Department of Health and Human Services; 2012.